


GARDEN STATE TILE

Together We Can Design For Life

# RE\_MICRON RE\_COLOR

Floor & Wall





A triumph of technology, it is aimed at the architecture and design sector. The ceramic slabs have a gentle surface movement effect and come in a variety of colours, which can be coordinated, according to new aesthetic requirements. There are a total of seven new shades, pale, medium and medium-dark. Three surface finishes are available: polished, natural and bush-hammered.

In this line a strong soul meets the basic nature and simplicity of a body that is practically a "solid colour" with extreme elegance. The surface is coloured, emphasising the almost imperceptible features of the material.

Re\_Micron is completed with Re\_Colour wall tiles. Double fired and rectified with the same caliber, these have a glossy look, for rooms with the most up-to-date minimalist appearance. Ideal for the most imposing and memorable designs.





## COMMERCIAL

The twin-named  
Re\_Micron-  
Re\_Colour collection  
offers endless  
opportunities for  
enhancing retail  
contexts, such as  
hospitality and  
public environments  
with pure and  
distinctive elegance.







re\_micron dark grey, grey, greige and white





re\_micron dark grey,  
grey, greige and white




re\_micron dark grey



re\_micron almond and white  
re\_colour white





re\_micron almond



re\_micron grey  
re\_colour white, silver  
and grey









## RESIDENTIAL

Soft, warm shades animated by gentle surface textures for homes with a comfortable, contemporary mood. Plus a wide range of opportunities for creating design and style continuity throughout the home thanks to the modulated design of the three different surfaces.



re\_micron beige









re\_micron beige





re\_micron dark grey  
re\_colour white, silver,  
grey and dark grey



re\_micron dark grey  
re\_colour white, silver,  
grey and dark grey




re\_colour

re\_micron

polished


natural

bush-hammered  
rustic






## TAUPE



MATTE POLISHED BUSH-HAMMERED RUSTIC

	60x60-24"x24"	30x60-12"x24"	30x30-12"x12"	30x30-12"x12"
	LI	N		
	TAUPE MATTE			
	LI	L		
	TAUPE POLISHED			
	RB	N		
	TAUPE BUSH HAMMERED		TAUPE BUSH HAMMERED	

## BEIGE



MATTE POLISHED BUSH-HAMMERED RUSTIC

	60x60-24"x24"	30x60-12"x24"	30x30-12"x12"	30x30-12"x12"
	LI	N		
	BEIGE MATTE			
	LI	L		
	BEIGE POLISHED			
	RB	N		
	BEIGE BUSH HAMMERED		BEIGE BUSH HAMMERED	

## ALMOND



MATTE POLISHED BUSH-HAMMERED RUSTIC

	60x60-24"x24"	30x60-12"x24"	30x30-12"x12"	30x30-12"x12"
	LI	N		
	ALMOND MATTE			
	LI	L		
	ALMOND POLISHED			
	RB	N		
	ALMOND BUSH HAMMERED		ALMOND BUSH HAMMERED	

## WHITE




MATTE POLISHED BUSH-HAMMERED RUSTIC

	60x60-24"x24"	30x60-12"x24"	30x30-12"x12"	30x30-12"x12"
	LI	N		
	WHITE MATTE			
	LI	L		
	WHITE POLISHED			
	RB	N		
	WHITE BUSH HAMMERED		WHITE BUSH HAMMERED	



## GREIGE



MATTE POLISHED BUSH-HAMMERED RUSTIC

	60x60-24"x24"	30x60-12"x24"	30x30-12"x12"	30x30-12"x12"
	GREIGE MATTE	GREIGE MATTE	GREIGE MATTE	GREIGE MATTE
	GREIGE POLISHED	GREIGE POLISHED	GREIGE POLISHED	GREIGE POLISHED
	GREIGE BUSH HAMMERED	GREIGE BUSH HAMMERED		


## GREY



MATTE POLISHED BUSH-HAMMERED RUSTIC

	60x60-24"x24"	30x60-12"x24"	30x30-12"x12"	30x30-12"x12"
	GREY MATTE	GREY MATTE	GREY MATTE	GREY MATTE
	GREY POLISHED	GREY POLISHED	GREY POLISHED	GREY POLISHED
	GREY BUSH HAMMERED	GREY BUSH HAMMERED		

## DARK GREY



MATTE POLISHED BUSH-HAMMERED RUSTIC

	60x60-24"x24"	30x60-12"x24"	30x30-12"x12"	30x30-12"x12"
	DARK GREY MATTE	DARK GREY MATTE	DARK GREY MATTE	DARK GREY MATTE
	DARK GREY POLISHED	DARK GREY POLISHED	DARK GREY POLISHED	DARK GREY POLISHED
	DARK GREY BUSH HAMMERED	DARK GREY BUSH HAMMERED		

### PEZZI SPECIALI / SPECIAL PIECES


	6X60-2.4"X24" △	30X60-12"X24" △		6X60-2.4"X24" △		30X60-12"X24" △
	TAUPE	TAUPE		TAUPE		TAUPE
	BEIGE	BEIGE		BEIGE		BEIGE
	ALMOND	ALMOND		ALMOND		ALMOND
	WHITE	WHITE		WHITE		WHITE
	GREIGE	GREIGE		GREIGE		GREIGE
	GREY	GREY		GREY		GREY
	DARK GREY	DARK GREY		DARK GREY		DARK GREY

### CARATTERISTICHE TECNICHE SPECIFICHE / TECHNICAL FEATURES SPECIFICATIONS


	DIN 51130 (R)	DIN 51097 (A+B+C)	BCR REP. CEC 6/81		DM 14/6/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF)
			g.a.	g.b.	c.a.	g.b.				
MATTE	R9	A	>0.4	>0.4	>0.4	>0.4	>36	>35	1	>0.42
BUSH HAMMERED	R11	A+B	>0.4	>0.4	>0.4	>0.4	>36	>45	3	>0.42




Taupe Ecrú Almond White Silver Grey Dark grey



30X60-12"X24"




WALL TILE-DECOS



DECO 30X60-12"X24"












REC L1 1.5X60 1,5X60-0.6"X24"



DECO 30X60-12"X24"









REC L2 1.5X60 1,5X60-0.6"X24"



CARATTERISTICA SPECIFICATION	METODO DI PROVA TEST METHODS	REQUISITI PREVISTI DALLA NORMA REQUIREMENTS IN ACCORDANCE TO THE STANDARDS	VALORE MEDIO IMOLA CERAMICA IMOLA CERAMICA AVERAGE VALUE
 DIMENSIONI E ASPETTO DIMENSIONS AND APPEARANCE	ISO 10545-2	PROSPETTO G.1 PROSPECT G.1	CONFORME COMPLIANT
 ASSORBIMENTO D'ACQUA WATER ABSORPTION	ISO 10545-3	≤ 0,5%	≤ 0,1%
 RESISTENZA A FLESSIONE FLEXURAL RESISTANCE	ISO 10545-4	min. 35 N/mm <sup>2</sup>	> 45 N/mm <sup>2</sup>
 SFORZO DI ROTTURA MODULUS OF RUPTURE		SPESSORE - THICKNESS ≥ 7,5 mm: min. 700N	8,5 mm* 2500 N* 12 mm* 5000 N*
		SPESSORE - THICKNESS < 7,5 mm: min. 1300N	SPESSORE* THICKNESS* 14 mm* 6500 N* 20 mm** 11000 N**
 RESISTENZA ALL'ABRASIONE PROFONDA DEEP ABRASION RESISTANCE	ISO 10545-6	≤ 175 mm <sup>3</sup>	< 140 mm <sup>3</sup>
RESISTENZA ALL'ABRASIONE SUPERFICIALE RESISTANCE TO SURFACE ABRASION	ISO 10545-7	CLASSI 0-5 CLASSES 0-5	COME INDICATO IN CATALOGO AS INDICATED IN THE CATALOGUE
 COEFFICIENTE DILATAZIONE TERMICA LINEARE (α) LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	METODO DISPONIBILE AVAILABLE ON REQUEST	≤ 7x10 <sup>-6</sup> °C <sup>-1</sup>
 RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	METODO DISPONIBILE AVAILABLE ON REQUEST	RESISTE RESISTANT
 RESISTENZA AL GELO FROST RESISTANCE	ISO 10545-12	RICHIESTA ALWAYS TESTED	RESISTE RESISTANT
 PRODOTTI CHIMICI AD USO DOMESTICO ED ADDITIVI PER PISCINA HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	UGL min. UB	UGL min. UB
		GL min. GB	GL min. GB
ACIDI ED ALCALI A BASSA CONCENTRAZIONE ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	UGL DA ULA, ULB A ULC FROM ULA, ULB TO ULC	UGL DA ULA, ULB A ULC FROM ULA, ULB TO ULC
		GL DA GLA, GLB A GLC FROM GLA, GLB TO GLC	GL DA GLA, GLB A GLC FROM GLA, GLB TO GLC
ACIDI ED ALCALI AD ALTA CONCENTRAZIONE ACIDS AND HIGH CONCENTRATION ALKALIS		METODO DISPONIBILE AVAILABLE ON REQUEST	METODO DISPONIBILE AVAILABLE ON REQUEST
 RESISTENZA ALLE MACCHIE STAIN RESISTANCE	ISO 10545-14	METODO DISPONIBILE AVAILABLE ON REQUEST	min. 3
 STABILITÀ DEI COLORI ALLA LUCE COLOUR STABILITY TO LIGHT	DIN 51094	NON DEVONO PRESENTARE APPREZZABILI VARIAZIONI DI COLORE THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION	CONFORME COMPLIANT

\*SPESSORI RIFERITI AL FORMATO 20X20 - THICKNESSES REFERRED TO 20X20 SIZE

\*\*SPESSORI RIFERITI AL FORMATO 60X60 - THICKNESSES REFERRED TO 60X60 SIZE

CARATTERISTICA SPECIFICATION	METODO DI PROVA TEST METHODS	REQUISITI PREVISTI DALLA NORMA REQUIREMENTS IN ACCORDANCE TO THE STANDARDS	VALORE MEDIO IMOLA CERAMICA IMOLA CERAMICA AVERAGE VALUE
 DIMENSIONI E ASPETTO DIMENSIONS AND APPEARANCE	ISO 10545-2	PROSPETTO L.1 PROSPECT L.1	CONFORME COMPLIANT
 ASSORBIMENTO D'ACQUA WATER ABSORPTION	ISO 10545-3	> 10%	> 10%
 RESISTENZA A FLESSIONE FLEXURAL RESISTANCE	ISO 10545-4	SPESSORE - THICKNESS > 7,5 mm: min. 12 N/mm <sup>2</sup>	> 17 N/mm <sup>2</sup>
		SPESSORE - THICKNESS ≤ 7,5 mm: min. 15 N/mm <sup>2</sup>	
 SFORZO DI ROTTURA MODULUS OF RUPTURE	ISO 10545-4	SPESSORE - THICKNESS ≥ 7,5 mm: min. 600 N	CONFORME COMPLIANT
		SPESSORE - THICKNESS < 7,5 mm: min. 200 N	
 COEFFICIENTE DILATAZIONE TERMICA LINEARE (α) LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	METODO DISPONIBILE AVAILABLE ON REQUEST	≤ 7x10 <sup>-6</sup> °C <sup>-1</sup>
 RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	METODO DISPONIBILE AVAILABLE ON REQUEST	RESISTE RESISTANT
RESISTENZA AL CAVILLO CRAZING RESISTANCE	ISO 10545-11	RICHIESTA ALWAYS TESTED	RESISTE RESISTANT
 PRODOTTI CHIMICI AD USO DOMESTICO ED ADDITIVI PER PISCINA HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	min. GB	min. GB
		ACIDI ED ALCALI A BASSA CONCENTRAZIONE ACIDS AND LOW CONCENTRATION ALKALIS	METODO DISPONIBILE AVAILABLE ON REQUEST
ACIDI ED ALCALI AD ALTA CONCENTRAZIONE ACIDS AND HIGH CONCENTRATION ALKALIS		METODO DISPONIBILE AVAILABLE ON REQUEST	METODO DISPONIBILE AVAILABLE ON REQUEST
 RESISTENZA ALLE MACCHIE STAIN RESISTANCE	ISO 10545-14	min. 3	min. 3



# SIMBOLOGIA

SYMBOLES / SYMBOLE / SÍMBOLOS / СИСТЕМА СИМВОЛОВ / 标识

## INDICAZIONI D'USO

INDICATIONS FOR USE  
INSTRUCTIONS D'UTILISATION  
ANWENDUNGSBEREICH  
INDICACIONES DE USO  
УКАЗАНИЯ ПО ИСПОЛЬЗОВАНИЮ  
使用说明



### Pavimento

Floor tiles / Sol / Boden  
Piso / Пол / 地板



### Rivestimento

Wall tiles / Revêtement / Wand  
Revestimiento / Облицовка / 墙面

## DESTINAZIONI D'USO

SUGGESTED APPLICATIONS  
DESTINATION  
ANWENDUNGSBEREICH  
LUGAR DE EMPLEO  
ПРЕДНАЗНАЧЕНИЕ  
用途



### Abitazioni

Dometisc purpose/ Habitation /  
Wohnbereich / Habitación / Жилое  
помещение / 住宅



### Esterni

Outdoor floor / Extérieur /  
Aussenbereich Exterior / Наружные  
части / 户外



### Commerciale leggero

Tiles for light commercial  
Traffic area. Passage léger  
Gewerblichen bereich  
Pequeña superficie comercial  
Торговое помещение с легкой нагрузкой  
低流量商业

## CARATTERISTICHE DI VENDITA

SALES CHARACTERISTICS  
CONDITIONS PARTICULIÈRES DE VENTE  
VERTRIEBSEIGENSCHAFTEN  
CARACTERÍSTICAS DE VENTA  
ХАРАКТЕРИСТИКИ ПРОДАЖИ  
销售特点



### Prodotto venduto al pezzo.

Product sold per item. / Produit vendu à  
l'unité. / Stückpreisverkauf. / Producto vendido  
por unidades. / Продукт продается поштучно.  
产品按片销售。

### Tutti i nostri prodotti, sia al mq che al pezzo, sono venduti unicamente a scatola completa.

All our products are sold only in complete boxes,  
whether the unit of measure is per item or per square  
metre. / Tous nos produits, au m<sup>2</sup> comme à l'unité,  
sont vendus uniquement par boîtes entières. / Alle  
unsere Produkte, sowohl als Quadratmeter- wie in  
Stückzahlabgabe, werden ausschließlich in vollen  
Schachteln verkauft. / Todos nuestros productos,  
tanto al m<sup>2</sup> como por unidades, se venden únicamente  
por cajas completas. / Все наши товары, продаваемые как  
квадратными метрами, так и поштучно, продаются только  
полными коробками. / 我们所有产品, 无论按平方米还是按  
片定价, 都只可整箱销售。

## FINITURA

FINISH  
FINITION  
OBERFLÄCHE  
ACABADO  
ОТДЕЛКА  
终加工



### Naturale

Natural / Naturel / Natur  
Matt / Природный / 自然式



### \* Levigato

Polished / Poli / Poliert / Pulido /  
Полированный / 磨光

## STRUTTURA

STRUCTURE  
STRUCTURÉ  
STRUKTUR  
ESTRUCTURA  
СТРУКТУРА  
结构



### Liscio

Flat / Lisse / Glatt  
Liso / Гладкий / 光滑



### Bocciardato

Bush-hammered rustic / Rustique bouchardé  
Rustikal scharriert / Rústico bujardado /  
Рустикальный Обтесанный бучардой / 粗荔枝面

## ASPETTO SUPERFICIALE

SURFACE LOOK  
ASPECT SUPERFICIEL  
AUSSEHEN DER OBERFLÄCHE  
ASPECTO SUPERFICIAL  
ВНЕШНИЙ ВИД  
表面外观



### Opaco

Matt / Mat / Matt  
Opaco / Матовый / 亚光



### \* Lucido

Glossy / Brillant / Glänzend  
Brillante / Глянцевый / 抛光

## STONALIZZAZIONE

SHADE VARIATION  
VARIATION DE NUANCES  
SCHATTIERUNG  
DESTONALIZACIÓN  
РАЗБРОС ЦВЕТОВОГО ТОНА  
自然色差

## BORDO

EDGE  
BORD  
RAND  
BORDE  
КРОМКА  
边缘

## V1

## Re

### Rettificato monocalibro

Monocaliber, rectified / Rectifié monocalibre  
Rettifiziert monokaliber / Rectificado monocalibre  
Ректифицированный монокалибр / 单尺寸修正边

\*  
Surfaces with a honed and polished gloss finish are recommended for any kind of wall tile,  
residential floor or floors that are not directly connected with the outdoors or whose entrances  
are protected by mats. As is well known, all gloss surfaces naturally lose their shine over time.  
With porcelain stoneware this process is slower than other honed natural materials like  
marble, granite or stone. .

# GARDEN STATE TILE

Together We Can Design For Life



# GARDEN STATE TILE

Together We Can Design For Life



@GardenStateTile



@GardenStateTile



@GardenStateTile



@GardenStateTile



@GardenStateTile

## OUR SHOWROOMS:

### NEW JERSEY

Dayton  
Dover  
Princeton  
Roselle Park  
Wall  
West Berlin

### PENNSYLVANIA

Bethlehem  
Lancaster  
Philadelphia  
Warminster

### GEORGIA

Savannah

### SOUTH CAROLINA

Charleston  
Columbia