


Specifications

Sizes (Shown in JAZ02 Duke)

8 x 48



2 x 2 Mosaic
(Mounted on a
299 x 299 mm sheet)



Herringbone
Mosaic
(Mounted on
a 295 x 341 sheet)

Sizes & Finishes

Field Tile - Rectified

Available in all colors

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
8 x 48	197 x 1196	10	UP

Crossville recommends a grout joint of 3mm.

Actual measurements stated in inches indicate tile is calibrated (non-rectified).

Actual measurements stated in mm indicate tile is rectified.

Mosaics

Available in all colors

Nominal (in)	Actual Size (mm)	Thickness (mm)	Finish
2 x 2*	299 x 299	10	UP
Herringbone**	295 x 341	10	UP

*Mounted on 12 x 12 sheet with 4.3mm grout joints

**Mounted on 12 x 15 sheet with 2.5mm grout joints

Coordinating Trim

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 12 Cove Base	147 x 297	10	UP [†]
4 x 24 Single Bullnose	97 x 597	10	UP

[†] Manufactured in the USA



6 x 12 Cove Base



4 x 24 Bullnose

Product Performance

Breaking Strength	>500 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.20%	ASTM C373

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment.

See website for more details and sizes.



Wet Dynamic Coefficient of Friction Range

UP	0.42 - 0.52	AcuTest sm
----	-------------	-----------------------

Shade & Texture Index

Jazz Age has a shade variation of V2.

V1	V2	V3	V4	V1 Uniform appearance
				V2 Slight Variation
				V3 Moderate Variation
				V4 Substantial Variation

This porcelain tile product is produced with a V2 variation. Expect that the amount of color and texture on each piece may vary slightly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Jazz Age

Crossville, Inc.

PO Box 1168
Crossville, TN
38557

Phone 931.484.2110
Fax 931.456.2956
E-Mail Crossc@CrossvilleInc.com
Web CrossvilleInc.com

Recommended Use

Jazz Age is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Jazz Age is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville® recommends an offset of not greater than 33%.** See CrossvilleInc.com for detailed installation instructions.

Wet Area Use for Jazz Age Mosaics

Jazz Age 2 x 2 and herringbone mosaics are made in an unpolished finish and the AcuTestsm wet Dynamic COF is ≥ 0.42 . Their small sizes ensure frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Jazz Age to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Care and Maintenance

Regular cleaning is the best way to keep Jazz Age tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

Hydrotect

Our porcelain tiles are available with Hydrotect. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. Please request a sample before ordering. For complete details check our website at CrossvilleInc.com.



Photo right:
Floor: **JAZ02** ▶ Duke 8 x 48

On the cover:
JAZ03 ▶ Count 8 x 48

Trade Organizations



Environmentally Aware



LIT-JAZ-19

Jazz Age

Porcelain Stone®



Jazz Age

Porcelain Stone[®]

Timeworn Style and All That Jazz

From the height of the Jazz Age to modern day, nightclubs set the stage for great talent. In these soulful venues, traditional hardwood flooring bears the nuances of each evening's show with timeworn grace. The high-low sheen of endless waxing, scuffs from chair legs, and subtle undulations from nightly foot traffic mark these floors with character and style. Now—in your newest designs, you can incorporate this authentic, aged hardwood patina with Jazz Age porcelain tile collection.

Jazz Age delivers just the right amount of visual distressing interpreted in durable, enduring porcelain. 8"x48" planks provide realistic sizing. Herringbone and 2" square mosaics modernize the offering. Bullnose trim hits the low notes, and cove base finishes the beat. And unlike its true wood predecessor, Jazz Age is easy to clean and maintain in high traffic areas and offers powerful performance that's worthy of a standing ovation every time. Style, character, strength—get all that with Jazz Age by Crossville.

- The look of aged hardwood with authentic, timeworn patina
- 8x48 rectified planks with a minimum 3mm grout joint
- Coordinating trim and mosaic for fully-finished style



Floor: **JAZ04** ▶ Billie 8 x 48
Wall: **JAZ04** ▶ Billie 1 x 6 Herringbone Mosaic

Color Palette

Available Colors



JAZ01 ▶ Louis



JAZ02 ▶ Duke



JAZ03 ▶ Count



JAZ04 ▶ Billie

Herringbone Mosaic



JAZ01.1BONEMOS ▶ Louis



JAZ02.1BONEMOS ▶ Duke



JAZ03.1BONEMOS ▶ Count




JAZ04.1BONEMOS ▶ Bille

2 x 2 Mosaics




JAZ01.10202MOS ▶ Louis



JAZ02.10202MOS ▶ Duke



JAZ03.10202MOS ▶ Count



JAZ04.10202MOS ▶ Billie



JAZ01 ▶ Louis 8 x 48