


*Bluestone*



PORCELAIN STONE®

 **CROSSVILLE®**  
ELEVATE YOUR SPACE







## *Bluestone*

*Inspired by natural Blue Stone, Crossville's Bluestone embodies the intricate details of fossil-like impressions and sprinkles of glitter. From the beginning of time, nature and man have used natural stone to depict their story. Let Crossville's Bluestone help depict your story, your style. Whether it is rustic, traditional, transitional or contemporary, Bluestone can serve as a beautiful backdrop to any style.*

Product featured in photo at left: AV204 Vermont Black HON 24" x 24"

Products featured in photo above: Bluestone – AV202 Arizona Brown Random Mosaic  
Mixology: Bronze 2" x 2" Mosaic

Products featured on the front cover: AV204 Vermont Black HON 6" x 24", 12" x 24"



Product featured in photo above: AV202 Arizona Brown UPS 6" x 6", 12" x 12", 24" x 24"  
AV202 Arizona Brown HON 12" x 12"

Products featured in photo at right:  
AV201 Colorado Buff UPS  
24" x 24"





Products featured in photo in inset above:  
AV202 Arizona Brown UPS  
2" x 2" Mosaics




Products featured in photo at right:  
AV203 Pennsylvania Blue UPS  
12" x 24"



**Colors (Available in UPS and HON finishes)**



AV201 Colorado Buff UPS/HON



AV202 Arizona Brown UPS/HON



AV203 Pennsylvania Blue UPS/HON



AV204 Vermont Black UPS/HON

**Sizes (Available in all colors. Shown in AV202 Arizona Brown HON)**



24" x 24"  
Available in UPS and HON Finishes



12" x 24"  
Available in UPS and HON Finishes



6" x 24"  
Available in UPS and HON Finishes



12" x 12"  
Available in UPS and HON Finishes



6" x 6"  
Available in UPS and HON Finishes



**Mosaics**



2" x 2" Mosaics  
Available in UPS Finish Only  
(Mounted on an 11-3/4" x 11-3/4" sheet.)



Random Mosaics  
Available in UPS and HON Finishes  
(Mounted on an 11-3/4" x 12-3/4" sheet.)



3" x 6" Mosaics  
Available in HON Finish Only  
(Mounted on an 11-3/4" x 14-3/4" sheet.)

**Wet area use for Bluestone 2" x 2" mosaics**

Crossville® produces these products with the Cross-Sheen® finish. They exceed current ADA guidelines and deliver a wet static coefficient of friction equal to or greater than 0.6 on the surface of the tile. Their small 2" x 2" size ensures frequent grout joints which provides traction and drainage.

Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Bluestone to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.



# Bluestone

## Sizes and Finishes

### Field Tile (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 6	147 x 147	10.5	UPS/HON
6 x 24	147 x 597	10.5	UPS/HON
12 x 12	297 x 297	10.5	UPS/HON
12 x 24	297 x 597	10.5	UPS/HON
24 x 24	597 x 597	10.5	UPS/HON

Note: All field tile is rectified and modular with a 3mm grout joint.


### Mosaics (Available in all colors)

Nominal (in)	Actual (mm)	Sheet (mm)	Thickness (mm)	Finish
2 x 2	47 x 47	297 x 297	10.5	UPS
3 x 6*	72 x 147	297 x 372	10.5	HON
Random		297 x 322	10.5	UPS/HON Mixed
2 x 2	47 x 47		10.5	
2 x 4	47 x 97		10.5	
2 x 6	47 x 147		10.5	

Nominal sheet size on 2 x 2 mosaics is 12" x 12"  
 Nominal sheet size on 3 x 6 mosaics is 12" x 15"  
 Nominal sheet size on random mosaics is 12" x 13"  
 \* 3 x 6 sheets have staggered joints

### Coordinating Trim (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
4 x 12 Single Bullnose	97 x 297	10.5	UPS/HON
6 x 12 Cove Base	150 x 297	10	UPS
6 x 8 Cove Base Corners Left & Right	150 x 200	10	UPS



### Product Performance

Breaking Strength	>450 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.20%	ASTM C373
Scratch Hardness	7	Mohs Scale

### Static Coefficient of Friction

UPS	Dry	>0.8	ASTM C1028
	Wet	>0.6	ASTM C1028
HON	Dry	>0.6	ASTM C1028
	Wet	NA	ASTM C1028

### Care and Maintenance


Regular cleaning is the best way to keep Bluestone tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at [CrossvilleInc.com](http://CrossvilleInc.com).

### Recommended Use

Bluestone is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Bluestone is not recommended for exterior horizontal surfaces or exterior paving. The honed tile is not recommended for wet areas where standing water may occur. If offset pattern is required for tiles 18 inches or longer, Crossville® recommends an offset of not greater than 33%. See [CrossvilleInc.com](http://CrossvilleInc.com) for detailed installation instructions.

### Shade & Texture Index

Bluestone has a shade variation of V2.



Product featured in photo above: AV201 Colorado Buff HON 24" x 24", 3" x 6" Mosaics

Bluestone contains a minimum of 20 percent pre-consumer recycled content and is manufactured by Crossville® using processes that have been certified by Scientific Certification Systems. SCS has verified that through these recycling processes Crossville® recycles nearly 12 million pounds of previously discarded filtrate and fired tile waste. In addition to its own fired waste recycling, Crossville also accepts and recycles reclaimed, previously installed tile through its Tile Take-Back™ Program. For more information, visit [CrossvilleInc.com/green](http://CrossvilleInc.com/green).

