GARDEN STATE TILE

Together We Can Design For Life

HEXA

gstile.com





MOSAIC ≑ 4,5mm **12"x12" Sheet**

Hexa

– MATT *finish*–

Rosy Blush

Wild Sage

Green Echo

Ocean Wave

Deep Navy

Black Swan

Lemon Sorbet

Cherry Pie

Rusty Red

Yellow Corn

Hexagonal mosaic in *1.75"x1.5"* chips and 12"x12" sheets, full body porcelain mosaic, high level technology made in Italy, suitable for floors and walls. Available in a minimalist MATT FINISH, in 10 contemporary colors which are the perfect interpretation of the latest design trends.

– MIX *matt /glossy/ fabric*– **12"x12" Sheet**

Rosy Blush

Wild Sage

Deep Navy

Cotton Candy

Rusty Red

Yellow Corn



Hexagonal mosaic in 1.75"x1.5" chips and 12"x12" sheets, high level technology made in Italy, full body porcelain mosaic, suitable for floors and walls. Available in a mix of THREE FINISHES, matt, glossy (light polished effect) and fabric (materic look, like juta texture), in 6 colors inspired by Scandinavian design.

GST







AGNES MARTIN
THE KINFOLK
THE KINFOLK


WALL 10mm

– GLOSSY *finish*–

7"x6"

Hexa

Green Echo



Black Swan



Cherry Pie

Ocean Wave



Lemon Sorbet

Extruded white body ceramic tiles, semi hand made technology with a unique handcrafted effect: this is Hexa Wall, a hexagonal glazed extruded white body in **7"x6".** Available in the same 5 new colors of Hexa, soft GLOSSY FINISH, only for wall use. Vintage style beside new trendy shades: this is warm minimalism.

"Color is a power which
directly influences the soul."
~ Wassily Kandinsky

GST

ROSY BLUSH

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
matt finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Rosy Blush mosaic 31,6x31,6cm matt_wall

WILD SAGE

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
matt finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Wild Sage mosaic 31,6x31,6cm matt_wall

HEXA Wild Sage mosaic 31,6x31,6cm matt_wall

GREEN ECHO

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
matt finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Green Echo mosaic 31,6x31,6cm matt_floor

OCEAN WAVE

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
matt finish
4,5mm

Hexa

12"x12" Sheet



GST

HEXA Ocean Wave mosaic 31,6x31,6cm matt_wall and floor

DEEP NAVY

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
matt finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Deep Navy mosaic 31,6x31,6cm matt_floor

HEXA Deep Navy mosaic 31,6x31,6cm matt_floor

BLACK SWAN

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
matt finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Lemon Sorbet mosaic 31,6x31,6cm matt_wall
HEXA Black Swan mosaic 31,6x31,6cm matt_floor

LEMON SORBET

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
matt finish
4,5mm

12"x12" Sheet

CHERRY PIE

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
matt finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Cherry Pie mosaic 31,6x31,6cm matt_wall

RUSTY RED

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
matt finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Rusty Red mosaic 31,6x31,6cm matt_wall

YELLOW CORN

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
matt finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Yellow Corn mosaic 31,6x31,6cm matt_wall

ROSY BLUSH

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
mix **matt/glossy/fabric** finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Rosy Blush mosaic 31,6x31,6cm mix matt/glossy/fabric_floor

WILD SAGE

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
mix **matt/glossy/fabric** finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Wild Sage mosaic 31,6x31,6cm mix matt/glossy/fabric_wall

DEEP NAVY

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
mix **matt/glossy/fabric** finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Deep Navy mosaic 31,6x31,6cm mix matt/glossy/fabric_wall

COTTON CANDY

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
mix **matt/glossy/fabric** finish
4,5mm

Hexa

12"x12" Sheet

GST

HEXA Cotton Candy mosaic 31,6x31,6cm mix matt/glossy/fabric_wall

RUSTY RED

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
mix **matt/glossy/fabric** finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Rusty Red mosaic 31,6x31,6cm mix matt/glossy/fabric_wall

Light

YELLOW CORN

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
mix **matt/glossy/fabric** finish
4,5mm

12"x12" Sheet

Hexa



GST

HEXA Yellow Corn mosaic 31,6x31,6cm mix matt/glossy/fabric_wall

CHERRY PIE

Hexa Wall 17,3x15cm
glossy finish
10mm

7"x6"

Hexa

GST



HEXA Wall Cherry Pie 17,3x15cm glossy_wall
HEXA Lemon Sorbet mosaic 31,6x31,6cm matt_floor

GREEN ECHO

Hexa Wall 17,3x15cm

glossy finish

10mm

Hexa

7"x6"

GST

HEXA Wall Green Echo 17,3x15cm glossy_wall

OCEAN WAVE

Hexa Wall 17,3x15cm

glossy finish

10mm

7"x6"

Hexa

GST

HEXA Wall Ocean Wave 17,3x15cm glossy_wall

HEXA Wall Ocean Wave 17,3x15cm glossy_wall

BLACK SWAN

Hexa Wall 17,3x15cm

glossy finish

10mm

7"x6"

Hexa

GST

HEXA Wall Black Swan 17,3x15cm glossy_wall

LEMON SORBET

Hexa Wall 17,3x15cm

glossy finish

10mm

7"x6"

Hexa

GST

HEXA Wall Lemon Sorbet 17,3x15cm glossy_wall

TECHNICAL FEATURES

Hexa MOSAIC

TECHNICAL FEATURES UNGLAZED PORCELAIN STONEWARE MOSAICS

CONFORMING TO EUROPEAN STANDARDS EN 14411 ISO 13006 ANNEX G (GROUP BIA UGL CON EB ≤ 0,5%)
CARATTERISTICHE TECNICHE GRÈS PORCELLANATO NON SMALTATO Conformi a Norme Europee EN 14411 ISO 13006 Appendice G (Gruppo Bla UGL Eb ≤ 0,5%)
TECHNISCHE EIGENSCHAFTEN UNGLASIERTES FEINSTEINZEUG Gemäß den Europäischen Normen EN 14411 ISO 13006 Appendix G (Gruppe Bla UGL Eb ≤ 0,5%)
CARACTERISTIQUES TECHNIQUES GRES CERAME FIN NON EMAILLE Conformes aux Normes Européennes EN 14411 ISO 13006 Appendice G (Groupe Bla UGL Eb ≤ 0,5%)

	TECHNICAL FEATURES CARATTERISTICHE TECNICHE TECHNISCHE DATEN CARACTERISTIQUE TECHNIQUE	TESTING METHOD METODICA DI PROVA PRÜFVERFAHREN NORME D'ESSAIS	REFERENCE STANDARD RIFERIMENTO NORMA STANDARDWERT RÉFÉRENCE NORME	TEST RESULTS VALORE PRODOTTO PRODUKT WERTE VALEUR PRODUIT
	Water absorption Assorbimento d'acqua Wasseraufnahme Absorption d'eau	EN ISO 10545-3	$E_b \leq 0,5\%$	Compliant Conforme Erfüllt Conforme
	Abrasion resistance Resistenza all'abrasione Abriebbeständigkeit Résistance à l'abrasion	EN ISO 10545-6	175 mm^3 max	Compliant Conforme Erfüllt Conforme
	Thermal expansion coefficient Coefficiente di dilatazione termica lineare Wärmeausdehnung Coefficient de dilatation thermique linéaire	EN ISO 10545-8	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	≤9 MK-1
	Thermal shock resistance Resistenza agli sbalzi termici Temperaturwechselbeständigkeit Résistance aux écarts de température	EN ISO 10545-9	*Pass according to ISO 10545-1 Test superato in accordo con ISO 10545-1 Test ueberstanden nach ISO 10545-1 Pv en accord avec norme en ISO10545-1	Resistant Resistente Widerstandsfähig Résistant
	Frost resistance Resistenza al gelo Frostbeständigkeit Résistance au gel	EN ISO 10545-12	*Pass according to ISO 10545-1 Test superato in accordo con ISO 10545-1 Test ueberstanden nach ISO 10545-1 Pv en accord avec norme en ISO 10545-1	Resistant Resistente Widerstandsfähig Résistant
	Resistance to low concentrations of acids and alkali Resistenza a basse concentrazioni di acidi e alcali Beständigkeit gegen schwach konzentrierten Säuren und Laugen Résistance à des basses concentrations d'acides et bases	EN ISO 10545-13	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	From ULA to ULB Da ULA a ULB Von ULA bis ULB De ULA jusqu'à ULB
	Resistance to high concentrations of acids and alkali Resistenza ad alte concentrazioni di acidi e alcali Beständigkeit gegen stark konzentrierten Säure und Laugen Résistance à des hautes concentrations d'acides et bases		*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	From UHA to UHB Da UHA a UHB Von UHA bis UHB De UHA jusqu'à UHB
	Resistance to domestic chemicals and additives for swimming pools Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina Beständigkeit gegen chemischen Haushaltsreiniger und Zusatzstoffe für Schwimmbäder Résistance aux prod. chimiques d'usage domestique et additifs pour piscines		UB min.	UA
	Stain resistance of unglazed porcelain Resistenza alle macchie di piastrelle non smaltate Fleckenbeständigkeit von unglasierten Fliesen Résistance aux taches des carreaux non emaillés	EN ISO 10545-14	*Declared value Valore dichiarato Angegebener Wert Valeur declaré	CLASSE 5
	Colors resistance to light Resistenza dei colori alla luce Lichtbeständigkeit Résistance des couleurs a la lumière	DIN 51094	No noticeable color change. Non devono presentare apprezzabili variazioni di colore. Die Muster dürfen keine sichtbaren Farbveränderungen aufweisen. Ne doivent pas présenter de variations importantes des couleurs.	No alteration after testing Materiale inalterato dopo il test Keine Veränderung nach dem Test Aucune altération relevée
	Friction coefficient (Slipperiness) Coefficiente di attrito (Scivolosità) Reibungskoeffizient (Schlupfrigkeit) Coefficient de friction (Glissement)	DIN 51130	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	R10
		ANSI A137.1 (DCOF)		>0,42

MATT V1 UNIFORM

MIX V2 MODERATE

GST

TECHNICAL FEATURES

Hexa WALL

TECHNICAL SPECIFICATIONS OF WHITE-BODY WALL TILES

CONFORMING TO EN 14411 ISO 13006 STANDARDS ANNEX L GROUP BIII GL EB > 10%
CARATTERISTICHE TECNICHE RIVESTIMENTI IN PASTA BIANCA Conformi a norme en 14411 iso 13006 Appendice L Gruppo BIII gl eb > 10%
TECHNISCHE EIGENSCHAFTEN FÜR WANDFLIESEN AUS WEISSER MASSE NACH en 14411 iso 13006 Appendix L Gruppe BIII gl eb > 10%
CARACTÉRISTIQUES TECHNIQUES DES REVÊTEMENTS EN PÂTE BLANCHE Conformes aux normes en 14411 iso 13006 Appendice L Groupe BIII gl eb > 10%

	TECHNICAL FEATURES CARATTERISTICHE TECNICHE TECHNISCHE DATEN CARACTERISTIQUE TECHNIQUE	TESTING METHOD METODICA DI PROVA PRÜFVERFAHREN NORME D'ESSAIS	TEST RESULTS VALORE PRODOTTO PRODUKT WERTE VALEUR PRODUIT
	Water absorption Assorbimento d'acqua Wasseraufnahme Absorption d'eau	UNI EN ISO 10545-3	AA>10% GRUPPO BIII
	Breaking strenght Carico di rottura Bruchlast Charge de rupture	UNI EN ISO 10545-4	RM>150Kg/cm2
	Glaze crazing resistance Determinazione della resistenza al cavillo Glasurhaarrißbeständigkeit Résistence aux taches	UNI EN ISO 10545-11	Resistant Resiste Widerstandsfähig Résistant
	Chemical resistance Resistenza ai prodotti chimici Chemikalienbeständigkeit Résistance aux produits chimiques	UNI EN ISO 10545-14 UNI EN ISO 10545-13	Conforming Conforme Erfüllt Conforme

V1 UNIFORM

PACKAGING

	BOX			PALLET		
	PCS	SQ.MT.	KG	BOXES	SQ.MT.	KG
Hexa mosaic 31,6x31,6 - 12"x12"	10	1	10	54	54	560
Hexa Wall 17,3x15 - 7"x6"	24	0,46	8,48	64	29,44	563

GST

GST

OUR SHOWROOMS

NEW JERSEY

Dover
Princeton
Roselle Park
Wall
West Berlin

PENNSYLVANIA

Bethlehem
Lancaster
Philadelphia
Warminster

SOUTH CAROLINA

Charleston
Columbia

GEORGIA

Savannah

GARDEN STATE TILE

Together We Can Design For Life

GSTILE.COM @GARDENSTATETILE