

GARDEN STATE TILE

Together We Can Design For Life

SPIRIT



SPIRIT

A tribute to the clean, contemporary look of American industrial design, **Spirit** captures the look and feel of poured concrete.

With six stunning color options, and two finishes

Spirit is a modern take on the gritty appeal of concrete perfect for both residential and high-traffic

SPIRIT



colors

SPIRIT / CHALK



SPIRIT / GREIGE



SPIRIT / MUD



SPIRIT / ASH



SPIRIT / PLUMB



SPIRIT / COAL



CANVAS

colors

SPIRIT CANVAS / WHITE



SPIRIT CANVAS / MOKA








SPIRIT / CHALK

SPIRIT








12"x24" . 24"x24" . 3"x24" bullnose / **CHALK** matte




SPIRIT



**OUTDOOR
#2**







SPIRIT / GREIGE

SPIRIT




**OUTDOOR
#2**






12"x48" / GREIGE OUTDOOR #2







SPIRIT / MUD





SPIRIT / ASH



24"x24" . 3"x24" bullnose / **ASH** polished



24"x24" . 3"x24" bullnose / **ASH** polished


SPIRIT



24"x24" / ASH OUTDOOR #2

**OUTDOOR
#2**







SPIRIT / PLUMB

SPIRIT



24"x48" / **ASH** matte . 24"x24"






24"x48" / **ASH** matte



24"x48" / **ASH** matte : 2"x2" mosaic / **PLUMB** matte





SPIRIT / COAL



24"x24" . 12"x24" / **COAL** matte






24"x48" / **COAL** polished





24"x48" / **COAL** polished





SPIRIT CANVAS / WHITE



SPIRIT CANVAS / MOKA

SIZES & SHADE VARIATION

sizes:

24"x24"
Rectified / Matte



1101112 Chalk
1101113 Greige
1101115 Ash
1101116 Plumb
1101117 Coal

24"x24"
Rectified / Polished



1101208 Chalk
1101209 Greige
1101211 Ash
1101212 Plumb
1101213 Coal

12"x24"
Rectified / Matte



1101130 Chalk
1101131 Greige
1101133 Ash
1101134 Plumb
1101135 Coal

12"x24"
Rectified / Polished



1101226 Chalk
1101227 Greige
1101229 Ash
1101230 Plumb
1101231 Coal

24"x48"
Rectified / Matte



1101088 Chalk
1101089 Greige
1101091 Ash
1101092 Plumb
1101093 Coal

24"x48"
Rectified / Polished



1101184 Chalk
1101185 Greige
1101187 Ash
1101188 Plumb
1101189 Coal

deco:

12"x24" CANVAS
Rectified / Matte




1101254 White
1101255 Moka

12"x24" CANVAS
Rectified / Polished



1101266 White
1101267 Moka

48"x48"
Rectified / Matte



Chalk
Greige
Mud
Ash
Plumb
Coal

Colors shown may vary from actual product.
Final selection should be made from actual product samples.

mosaics & trim pieces:

12"x12"
Mosaic / Matte



- 1101148 Chalk
- 1101149 Greige
- 1101151 Ash
- 1101153 Coal

12"x12"
Mosaic / Polished



- 1101238 Chalk
- 1101239 Greige
- 1101241 Ash
- 1101243 Coal

6"x12" Cove Base

*special order only



- 1101136 Chalk
- 1101137 Greige
- 1101139 Ash
- 1101141 Coal

3"x24" Bullnose / Matte




- 1101142 Chalk
- 1101143 Greige
- 1101145 Ash
- 1101147 Coal

3"x24" Bullnose / Polished




- 1101232 Chalk
- 1101233 Greige
- 1101235 Ash
- 1101237 Coal



V1

UNIFORM APPEARANCE


Differences among pieces from the same production run are minimal.



V2

SLIGHT VARIATION

Clearly distinguishable differences in texture and/or pattern with similar colors.




V3

MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.

+ One Canvas



V4

SUBSTANTIAL VARIATION


Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.

SIZES & SHADE VARIATION

sizes:

OUTDOOR #2

24"x24"
Rectified / Matte



1101414 Chalk
1101415 Greige
1101416 Ash

12"x48"
Rectified / Matte



1101411 Chalk
1101412 Greige
1101413 Ash


Colors shown may vary from actual product. Final selection should be made from actual product samples.

packaging

SIZES	METRIC (CM)	THICKNESS (MM)	PIECES PER BOX	UOM PER BOX	WEIGHT PER BOX	BOXES PER PALLET	UOM PER PALLET	WEIGHT PER PALLET*
FIELD TILES								
12"x48" RECTIFIED MATTE	30x120	20 mm	4	16 SF	147	16	256 SF	2,352
24"x24" RECTIFIED MATTE	60x60	20 mm	2	8 SF	76	36	288 SF	2,736

* WEIGHT PER PALLET DOES NOT INCLUDE PALLET WEIGHT ITSELF. ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.


MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").



V1

UNIFORM APPEARANCE


Differences among pieces from the same production run are minimal.



V2

SLIGHT VARIATION


Clearly distinguishable differences in texture and/or pattern with similar colors.



V3

MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



V4

SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.



technical specifications

		REFERENCE VALUE	DECLARED VALUE	TEST METHOD
	SURFACE ABRASION		IV	ASTM C1027
	WATER ABSORPTION	≤0.5%	MEETS REQUIREMENT	ASTM C373
	CHEMICAL RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM 650
	DYNAMIC COEFFICIENT OF FRICTION	≥0.42 WET	MEETS REQUIREMENT	ANSI A137.1
	STAIN RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM C1378
	BREAKING STRENGTH	AS REPORTED	≥400	ASTM C648
	RESISTANCE TO FREEZE	AS REPORTED	RESISTANT	ASTM C1026



RESISTANT FOR THE HOUSE The product is water-resistant: it stops liquids, body oils, acidic and staining substances from penetrating the tiles. It resists scratches, scuffs and gauges better than any other floor covering. It does not absorb fumes, odors or smoke. It doesn't discolor or fade when exposed to sunlight, or other natural elements. It is completely fire proof. It resists burns and doesn't feed a fire. Its high resistance to abrasive dirt and grime makes it suitable even for heavy-traffic areas of the house such as hallways, entrances, foyers and walkways.

FROST RESISTANT Exceeding the ADA standard requirements, the Garden State Tile product can also be used for outside applications. It stands up to abrupt temperature changes and freezing-thaw cycles. When properly installed according to ANSI A137.1. It's strong enough to be used in exterior applications even in frigid climates. Proper consideration must be given to the anti-slip requirements of the area to be tiled.

ANTI-SLIP The testing conducted on our finished product will guarantee that all of our tiles will have an anti-slip surface so they may be used with total confidence in kitchen and bath applications. The Garden State Tile product is perfect for both home and commercial interiors, such as restaurants, offices, retail stores, etc. Its anti-slip properties provide a safe walking surface in both wet and dry conditions, according to the Americans with Disabilities Act.

HYGIENE/SANATATION & EASY CLEANING The Garden State Tile product doesn't absorb odors or bacteria of any kind. It's easy to clean with a damp sponge, mop, or cloth. For a more intense cleaning, simply use a mild solution of water and a common household detergent. Regular cleaning will stop the growth of germs and bacteria in damp areas such as the bathroom.

• DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

packaging

SIZES		THICKNESS (MM)	PIECES PER BOX	UOM PER BOX	WEIGHT PER BOX	BOXES PER PALLET	UOM PER PALLET	WEIGHT PER PALLET*
FIELD TILES								
12"x24" RECTIFIED MATTE / POLISHED	NOMINAL	10 mm	6	12 SF	52.8	48	576 SF	2,535
24"x24" RECTIFIED MATTE / POLISHED	NOMINAL	10 mm	3	12 SF	52.8	36	432 SF	1,901
24"x48" RECTIFIED MATTE / POLISHED	NOMINAL	10 mm	2	16 SF	76.8	32	512 SF	2,457.6
DECO								
12"x24" CANVAS RECTIFIED MATTE / POLISHED	NOMINAL	10 mm	6	12 SF	52.8	48	576 SF	2,535
MOSAICS AND COORDINATING TRIMS								
2"x2" MOSAIC (12"x12"- 36 DOT) MATTE / POLISHED	NOMINAL	10 mm	10	10 PCS	35	45	450 PCS	1,575
3"x24" BULLNOSE MATTE/POLISHED	NOMINAL	10 mm	12	12 PCS	25.2	48	576 PCS	1,201
6"x12" COVE BASE MATTE	NOMINAL	7mm	10	10 PCS	17.5	64	640 PCS	1,120

* WEIGHT PER PALLET DOES NOT INCLUDE PALLET WEIGHT ITSELF. ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.

MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").

GARDEN STATE TILE

Together We Can Design For Life

Routine care instructions:

1. Wash with water to remove superficial dirt.
2. Application of Fila Cleaner® Fila (commercial product) diluted to an average of 1:200 to the surface.
3. Let the solution sit 5-7 minutes.
4. Remove the cleaner with a vigorous mechanical cleaning action using common hand cleaning equipment, or a suitable floor-cleaning appliance.
5. Dry the floor completely.

Note: For desired results, it is particularly important to combine the effect of the detergent with a vigorous mechanical cleaning action.

The products mentioned in these instructions do not officiate any official agreements with any floor cleaning product producers.

CLEANING & MAINTENANCE

CERTIFICATIONS & ACCREDITATIONS





OUR SHOWROOMS

NEW JERSEY

Dover
Princeton
Wall
West Berlin
Wyckoff

PENNSYLVANIA

Bethlehem
Lancaster
Philadelphia
Warminster

SOUTH CAROLINA

Charleston
Columbia

GEORGIA

Savannah

GARDEN STATE TILE

Together We Can Design For Life

GSTILE.COM    @GARDENSTATETILE1957