

CREEKWOOD




GSTILE.COM



Creekwood








З

HONEY . BROWN

CASSETTONE DÉCOR













Creekwood / WHITE






6"x36" . 8"x48" / WHITE







6"x36". 8"x48" / WHITE . cassettone Décor 1 24"x24"













Creekwood / HONEY











12"x48" / HONEY OUTDOOR #2

111






15"x12" Herringbone mosaic / HONEY . cassettone Décor 3 24"x24"

14

11

3)





Creekwood / GREY






8"x48" / GREY













Creekwood / NUT






6"x36" / NUT









Creekwood / BROWN





6"x36" / BROWN



SIZES & SHADE VARIATION

sizes:

40

6"x36" Rectified / Matte

1100803 White 1100804 Honey 1100805 Nut 1100806 Brown 1100807 Grey

8"x48" Rectified / Matte

1100788 White 1100789 Honey 1100790 Nut 1100791 Brown 1100792 Grey





1100839 White / Grey Cassettone Décor 1



1100841 Honey / Nut / Brown Cassettone Décor 3

OUTDOOR #2

12"x48" Rectified / Matte

1100818 White 1100819 Honey 1100822 Grey



1100840 Honey / Nut Cassettone Décor 2



1100845 Nut/ Brown Cassettone Décor 4

Colors shown may vary from actual product. Final selection should be made from actual product samples.

mosaics & trim pieces:

12"x15" Herringbone Mosaic Matte



1100828 White 1100829 Honey 1100830 Nut 1100831 Brown 1100832 Grey




UNIFORM APPEARANCE Differences among pieces from the same production run are minimal.



SLIGHT VARIATION Clearly distinguishable differences in texture and/or pattern with similar colors.



While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.





15"x12" Herringbone mosaic / HONEY . 6"x36" / NUT

technical specifications

		REFERENCE VALUE	DECLARED VALUE	TEST METHOD		
	SURFACE ABRASION		IV	ASTM C1027		
	WATER ABSORPTION	≤0.63%	MEETS REQUIREMENT	ASTM C373		
•	CHEMICAL RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM 650		
*	DYNAMIC COEFFICIENT OF FRICTION	≥0.63 WET	MEETS REQUIREMENT	ANSI A137.1		
*	STAIN RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM C1378		
Å	BREAKING STRENGTH	AS REPORTED	≥400	ASTM C648		
*	RESISTANCE TO FREEZE	AS REPORTED	RESISTANT	ASTM C1026		



RESISTANT FOR THE HOUSE The product is water-resistant: it stops liquids, body oils, acidic and staining substances from penetrating the tiles. It resists scratches, scuffs and gauges better than any other floor covering. It does not absorb fumes, odors or smoke. It doesnt discolor or fade when exposed to sunlight, or other natural elements. It is completely fire proof. It resists burns and doesn's feed a fire. Its high resistance to abrasive dirt and grime makes it suitable even for heavy-traffic areas of the house such as hallways, entrances, foyers and walkways. FROST RESISTANT Exceeding the ADA standard requirements, the Milestone

FROST RESISTANT Exceeding the ADA standard requirements, the Milestone product can also be used for outside applications. It stands up to abrupt temperature changes and freezing-thaw cycles. When properly installed according to ANSI A137.1. It's strong enough to be used in exterior applications even in frigid climates. Proper consideration must be given to the anti-slip requirements of the area to be tiled.

ANTI-SLIP The testing conducted on our finished product will guarantee that all of our tiles will have an anti-slip surface so they may be used with total confidence in kitchen and bath applications. The Milestone product is perfect for both home and commercial interiors, such as restaurants, offices, retail stores, etc. Its anti-slip properties provide a safe walkking surface in both wet and dry conditions, according to the Americans with Disabilities Act.

HYGIENE/SANATATION & EASY CLEANING The Milestone product doesn't absorb odors or bacteria of any kind. It's easy to clean with a dampsponge, mop, or cloth. For a more intense cleaning, simply use a mild solution of water and a common household detergent. Regular cleaning will stop the growth of germs and bacteria in damp areas such as the bathroom.

• DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

packaging

SIZES	METRIC (CM)	THICKNESS (MM)	PIECES PER BOX	UOM PER BOX	WEIGHT PER BOX	BOXES PER PALLET	UOM PER PALLET	WEIGHT PER PALLET*
FIELD TILES								
6"x36" RECTIFIED MATTE	15x90	10 mm	8	12 SF	52.8	48	576 SF	2,534
8"x48" RECTIFIED MATTE	20x120	10 mm	6	16 SF	75.2	24	384 SF	1,805
24"x24" RECTIFIED MATTE	60x60	10 mm	3	12 SF	52.8	36	432 SF	1,901
12"x48" RECTIFIED MATTE	30x120	20 mm	2	8 SF	73.6	16	256 SF	2,355
MOSAICS AND COORDINATING TRIMS								
15"x12" HERRINGBONE MOSAIC MATTE	38x30	10 mm	10	10 PCS	35	45	450 PCS	1,575
3"x36" BULLNOSE MATTE/POLISHED	7.5x90	10 mm	16	16 PCS	33.6	40	640 PCS	1,344

GARDEN STATE TILE

Together We Can Design For Life

* WEIGHT PER PALLET DOES NOT INCLUDE PALLET WEIGHT ITSELF.

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.

PLEASE CONTACT MILESTONE CUSTOMER SERVICE AT 1-877-356-7461 FOR PACKAGING INFORMATION.

MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE RECOMMENDED USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").

GARDEN STATE TILE



CERTIFICATIONS & ACCREDITATIONS

Routine care instructions:

CLEANING & MAINTENANCE

 Wash with water to remove superficial dirt.
Application of Fila Cleaner® Fila (commercial product) diluted to an average of 1:200 to the surface.
Let the solution sit 5-7 minutes.
Remove the cleaner with a vigorous mechanical cleaning action using common hand cleaning equipment, or a suitable floor-cleaning appliance.
Dry the floor completely.

Note: For desired results, it is particularly important to combine the effect of the detergent with a vigorous mechanical cleaning action.

The products mentioned in these instructions do not officiate any official agreements with any floor cleaning product producers.

PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Milestone spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Milestone products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification

(Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Milestone offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Milestone commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.

WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

Benefits of Porcelain Tile

- Impervious to water
- · Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable best long-term value vs. other floor coverings

SUGGESTED INSTALLATIONS



Moderate to heavy foot traffic Recommended for all residential applications as well as medium commercial

well as medium commercial and light institutional applications.





OUR SHOWROOMS

NEW JERSEY

Dover Princeton Roselle Park Wall West Berlin

PENNSYLVANIA

Bethlehem Lancaster Philadelphia Warminster

SOUTH CAROLINA

Charleston Columbia

GEORGIA

Savannah



Together We Can Design For Life

GSTILE.COM **G** @GARDENSTATETILE