



GARDEN STATE TILE

Together We Can Design For Life

BOHEMIA





LIVELY AND VISUALLY STUNNING, BOHEMIA HEXAGON TILES FROM GARDEN STATE TILE HAVE THE LOOK OF HAND-MADE CEMENT TILES IN A DURABLE, EASY TO MAINTAIN PORCELAIN FORMAT. FRESH COLORS PAIRED WITH GEOMETRIC AND BOTANICAL PATTERNS CREATE A DESIGN STYLE THAT IS BOTH CHIC AND MODERN.

DALIA




Dalia 8"x10"



Dalia 8"x10"

HANNA



Hanna 8"x10"



Hanna 8"x10"

LINO WHITE



Lino White 8"x10"



Lino White 8"x10"

LOLA



Lola 8"x10"



Lola 8"x10"

MARGARITA



Margarita 8"x10"



Margarita 8"x10"

MIRANDA



Miranda 8"x10"



Miranda 8"x10"

SELENA



Selena 8"x10"



Selena 8"x10"

VIANA



Viana 8"x10"




Viana 8"x10"

TECHNICAL SPECIFICATIONS

Características Features	Norma de ensayo Test standard	Valor Value
Características dimensionales Dimensional features	EN-ISO-10545-2	Cumple la norma Complies with the standards
Absorción de agua Water absorption	EN-ISO-10545-3	≤ 0,5%
Resistencia a la flexión Bending strength	EN-ISO-10545-4	≥ 35 N/mm ²
Fuerza de rotura Breaking strength		≥ 1300 N
Resistencia a la abrasión Resistance to surface abrasion	EN-ISO-10545-7	Clase 4 (*) Class 4
Resistencia al choque térmico Thermal shock resistance	EN-ISO-10545-9	Resiste Resists
Resistencia al cuarteo Crazing resistance	EN-ISO-10545-11	Resiste Resists
Resistencia a la helada Frost resistance	EN-ISO-10545-12	Resiste Resists
Resistencia química Chemical resistance		
Productos de domésticos y sales para piscinas Domestic and swimming pool products		GA
Ácidos de baja concentración Acids of low concentration	EN-ISO-10545-13	GLA
Álcalis de baja concentración Alkalis of low concentration		GLA
Ácidos de alta concentración Acids of high concentration		GHA
Álcalis de alta concentración Alkalis of high concentration		GHA
Resistencia a las manchas Resistance to stains	EN-ISO-10545-14	5
Deslizamiento Friction coefficient		
Péndulo Pendulum	UNE-ENV-12633	Clase 1 Class 1
Rampa / Inclined Platform	DIN 51130	R9
DCOF DCOF	ANSI A137.1	> 0.42
Resistencia al fuego Resistance to fire	Decisión 96/603/CE modificada	Clase A1-A1 _{fl} Class A1-A1 _{fl}

SIZE



8"x10" 9mm
DCOF >0.42

SHADE VARIATION



V4
Substantial Variation

CERTIFICATIONS & ACCREDITATIONS



Pavimento
Floor tiles



Revestimiento
Wall tiles



Satinado
Satin



Absorción
Absorption
Grupo B1a



Antihielo
Frost-resistant



Destonificado
Shading variations

PACKAGING

packing	piezas caja pieces box	m ² caja sq.m. box	kg caja kg box	cajas palet boxes pallet	m ² palet sq.m. pallet	kg palet kg pallet
21 x 25 cm / 8"x10"	13	0,52	11,6	96	49,92	1134



OUR SHOWROOMS

NEW JERSEY

Dover
Princeton
Roselle Park
Wall
West Berlin

PENNSYLVANIA

Bethlehem
Lancaster
Philadelphia
Warminster

SOUTH CAROLINA

Charleston
Columbia

GEORGIA

Savannah

GARDEN STATE TILE

Together We Can Design For Life

GSTILE.COM    @GARDENSTATETILE