

GARDEN STATE TILE

Together We Can Design For Life

GST 2CM
ALBERO



ALBERO



2CM WOOD-LOOK PORCELAIN



Beige Grip Rectified
16"x48" Paver



Noce Grip Rectified
16"x48" Paver



Gray Grip Rectified.
16"x48" Paver



Beige Grip Rectified
16"x48" Step Grip



Noce Grip Rectified
16"x48" Step Grip



Gray Grip Rectified
16"x48" Step Grip



Beige Grip Rectified
16"x48" Pool Coping



Noce Grip Rectified
16"x48" Pool Coping



Gray Grip Rectified
16"x48" Pool Coping

SHADE VARIATION:



V3

Moderate Variation



ALBERO



TECHNICAL SPECIFICATIONS:

THROUGH-BODY PORCELAIN TILE	THICKNESS	FROST RESISTANCE	WATER ABSORPTION	RECOMMENDED USE	CHEMICAL RESISTANCE	BENDING STRENGTH	AVERAGE BREAKING LOAD FOR RAISED FLOOR LAYING	SLIPPING RESISTANCE	DRY	WET
	20mm	RESISTANT ISO 10545:12	~0,1% ISO 10545:3		GA UNI EN ISO 10545:13 5 UNI EN ISO 10545:14	~50N/mm² EN 14411 B1a	Classe 1 (~6,00 kN carico concentrato) EN 12625	DIN 51130 DIN 51097 ANSI 137.1 (DCCOF) BCRA	R 11 -	C ≥0,42 >0,40
									>0,40	

PACKAGING:



Box

Package 16"x48"

Pieces 1

Mq. 0,48

Kg. 21,54





OUR SHOWROOMS

NEW JERSEY

Dover
Princeton
Roselle Park
Wall
West Berlin

PENNSYLVANIA

Bethlehem
Lancaster
Philadelphia
Warminster

SOUTH CAROLINA

Charleston
Columbia

GEORGIA

Savannah

GARDEN STATE TILE

Together We Can Design For Life

GSTILE.COM    @GARDENSTATETILE