

Stone Fiction

Porcelain Stone®



---

# Stone Fiction

---

## Porcelain Stone®

### The allure of travertine from the indoors to outdoors

It's no lie that crosscut travertine is a timeless, earthly manifestation of style. Maintenance requirements and irregularities in the surface make commitment to travertine—shall we say—hard. Stone Fiction porcelain tile collection is the elegantly effortless alternative. This inspired line grounds down in the look of perpetually appealing travertine while providing confidence in the performance of porcelain for a lifetime of grace, ease, and style.

Stone Fiction's soft, swirling surface graphics and mild, infinitely matchable neutral color palette emulate what Mother Nature created in travertine's distinct mineral deposits. Each tile convincingly reinterprets stone's naturally dramatic pits in subtle, easy-to-clean depth. The resulting coziness centers your spaces in the illusion of a time-honored material.

Stone Fiction takes its allure from indoors to outside with both an unpolished finish and an exterior option suitable for walkways and pool surrounds. 12x24, 24x24, and a 2x2 mosaic, all made in the USA, offer a simple yet impactful collection designed to honor your creative vision.



Floor: **STF04** ▶ Travertine Coffee 12 x 24 UPS



Floor: **STF03** ▶ Travertine Silver 12 x 24 UPS

# Color Palette

## Available Colors



**STF01** ▶ Travertine Ivory



**STF02** ▶ Travertine Beige



**STF03** ▶ Travertine Silver



**STF04** ▶ Travertine Coffee



**STF01.10202MOS** ▶  
Travertine Ivory 2 x 2 Mosaic



**STF02.10202MOS** ▶  
Travertine Beige 2 x 2 Mosaic



**STF03.10202MOS** ▶  
Travertine Silver 2 x 2 Mosaic



**STF04.10202MOS** ▶  
Travertine Coffee 2 x 2 Mosaic



Detail of the  
STF03 Travertine Silver Finish



Floor: **STF02** ▶ Travertine Beige 24 x 24 EXT

# Specifications

## Sizes (Shown in STF03 Travertine Silver)



2 x 2 Mosaic  
(Mounted on a  
12 x 12 sheet)

## Sizes & Finishes

### Field Tile - Calibrated

Available in all colors

Nominal (in)	Actual (in)	Thickness (mm)	Grout Joint (in)	Finish
12 x 24	11-13/16 x 23-13/16	9.5	3/16	UPS
24 x 24	23-13/16 x 23-13/16	9.5	3/16	UPS/EXT

**Note:** Field tile is calibrated (non-rectified) with a minimum 3/16" grout joint

### Mosaics

Available in all colors

Nominal (in)	Actual Size (in)	Thickness (mm)	Grout Joint (in)	Finish
2 x 2 Mosaic*	11-15/16 x 11-15/16	9.5	3/16	UPS

\* Mounted on 12 x 12 sheet with 3mm grout joints

### Coordinating Trim

Available in all colors

Nominal (in)	Actual (in)	Thickness (mm)	Grout Joint (in)	Finish
6 x 12 Cove Base	5-7/8 x 11-3/4	9.5	3/16	UPS
4 x 24 Single Bullnose	3-13/16 x 23-13/16	9.5	3/16	UPS



6 x 12  
Cove Base



4 x 24 Bullnose

## Product Performance

Breaking Strength	>450 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.50%	ASTM C373
Scratch Hardness	7	Mohs Scale

## Wet Dynamic Coefficient of Friction Range

UPS	0.42 - 0.52	ANSI A326.3
EXT	0.60 - 0.70	ANSI A326.3

## Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment. See website for more details and sizes.



## Shade & Texture Index

Stone Fiction has a shade variation of V3.

V1	V2	V3	V4	V1 Uniform appearance
				V2 Slight Variation
				<b>V3 Moderate Variation</b>
				V4 Substantial Variation

This porcelain tile product is produced with a V3 variation. While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or textures to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

### Recommended Use

Stone Fiction UPS is recommended for interior floors, walls, counter tops and exterior walls in both residential and commercial applications. Stone Fiction EXT is recommended for exterior floors and walls in both residential and commercial applications. **If offset pattern is required for tiles 15 inches or longer, Crossville® recommends an offset of not greater than 33%.** See CrossvilleInc.com for detailed installation instructions.

### Wet area use for Stone Fiction Mosaics

Crossville® produces the Stone Fiction 2 x 2 mosaics with the Cross-Sheen® (UPS) finish. The ANSI A326.3 wet Dynamic COF of Stone Fiction is  $\geq 0.42$ . Their small sizes ensure frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Stone Fiction to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.



### Care and Maintenance

Regular cleaning is the best way to keep Stone Fiction tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

### Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1- 2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

### HydroTect™

Our porcelain tiles are available with Hydrotect™. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. For complete details check our website at CrossvilleInc.com.



### Crossville® Sample Express

Visit the website to learn more:  
**CrossvilleInc.com/Products/Stone -Fiction**

### Loose Samples for Architects & Designers

**Loose Tile Samples**  
Sizes may vary depending on product series  
Max. of 4 large field tile per order

**Replacement Chips for PSS Rack**  
Max. of 5, 2 x 2 chips per color

**Standard Shipping**  
FedEx Ground

### CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, simply visit our website and click on Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile. In addition, you'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at CrossvilleInc.com. Information listed here is subject to change.

*Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.*

Wall: **SFT03** ▶ Travertine Silver 2 x 2 Mosaic and 24 x 24 EXT

Floor: **SFT03** ▶ Travertine Silver 24 x 24 EXT

### Trade Organizations



### Environmentally Aware

# Stone Fiction

**Crossville, Inc.**

PO Box 1168  
Crossville, TN  
38557

**Phone** 931.484.2110  
**Fax** 931.456.2956  
**E-Mail** [Crossc@CrossvilleInc.com](mailto:Crossc@CrossvilleInc.com)  
**Web** [CrossvilleInc.com](http://CrossvilleInc.com)



Above:  
Floor: **STF01** ▶ Travertine Ivory 12 x 24 UPS  
On the cover:  
Floor : **STF03** ▶ Travertine Silver 24 x 24 EXT  
Wall : **STF03** ▶ Travertine Silver 2 x 2 Mosaic and 24 x 24 EXT

LIT-STF-22

 **CROSSVILLE**®