


MELANGE



Mélange

A French word meaning "a mixture or a medley," Mélange perfectly describes this collection of mixed materials with design influences from Morocco, Italy, Spain and France.

Zellige Tile, Limestone,
Marble and Terracotta combine
to breath new life into historic
designs from these
Mediterranean cultures,
blending traditions in a
celebration of craftsmanship.
Cut and mounted by hand,
Mélange tiles radiate an
authentic beauty that will
elevate any space.



Carthage Mosaic 1" x 3" Latte



Ostia Mosaic 1" \times 4", 2 $\frac{3}{4}$ " \times 2 $\frac{3}{4}$ " Latte



Palermo Mosaic 1" x 4", 2" x 2" Latte



Provence Mosaic 2" x 2" Latte



Sevilla Mosaic 1" x 4" Latte



Tangier Mosaic - 12" x 12" Sheet Latte



Luberon Limestone

Herringbone 1 ½" X 10"

All sizes noted are nominal. *Mosaics are mesh mounted.



Picket 4" x 10" Luberon Limestone



3" x 10" Field Luberon Limestone



4" x 4" Field Luberon Limestone

Available Trim



Trim ½" x 5" Luberon Limestone



Latte
MEL-CARTHAG-LATTE

| Mélange



Berber MEL-CARTHAG-BERBER



Sable MEL-CARTHAG-SABLE

Il sizes noted are nominal.
*Mosaics are mesh mounted.



Latte
MEL-OSTIA-LATTE



Blanc Gris
MEL-OSTIA-BLANCGR



Berber MEL-OSTIA-BERBER

All sizes noted are nominal.
*Mosaics are mesh mounted.



Latte
MEL-PALERMO-LATTE



Berber MEL-PALERMO-BERBER



Sand
MEL-PALERMO-SAND

All sizes noted are nominal.
*Mosaics are mesh mounted.



Latte
MEL-PROVENC-LATTE



Jaune Noir
MEL-PROVENC-JAUNENO



Blanc Gris
MEL-PROVENC-BLANCGR



Latte
MEL-SEVILLA-LATTE



Noir Rouge
MEL-SEVILLA-NOIRROU



Blanc Gris
MEL-SEVILLA-BLANCGR



Latte
MEL-TANGIER-LATTE




Blanc Gris
MEL-TANGIER-BLANCGR



Berber MEL-TANGIER-BERBER



Luberon Limestone MEL-HERRING-LUBERON




Noir Marble
MEL-HERRING-NOIR



Gris Limestone MEL-HERRING-GRIS



Luberon Limestone
MEL-PICKT-LUBERON



Noir Marble
MEL-PICKT-NOIR



Gris Limestone
MEL-PICKT-GRIS



Luberon Limestone
MEL-3X10-LUBERON



Noir Marble MEL-3X10-NOIR



Gris Limestone MEL-3X10-GRIS



Luberon Limestone
MEL-4X4FLD-LUBERON



Noir Marble MEL-4X4FLD-NOIR



Gris Limestone MEL-4X4FLD-GRIS



Blanco Puro
MEL-4X4FLD-BLANPUR



Berber MEL-4X4FLD-BERBER



Latte
MEL-4X4FLD-LATTE



Peltro MEL-4X4FLD-PELTRO

All sizes noted are nominal.



Blonde Cotto
MEL-4X4FLD-BLONCOT



Rouge Cotto
MEL-4X4FLD-ROUGCOT

1000

Blanco Puro
MEL-TRIM-BLANPUR

Blonde Cotto
MEL-TRIM-BLONCOT

Latte
MEL-TRIM-LATTE

Rouge Cotto
MEL-TRIM-ROUGCOT

A STATE OF THE STA

Berber

MEL-TRIM-BERBER

Peltro

MEL-TRIM-PELTRO

Trim 1/2" x 5" - Stone

Available Colors

Luberon Limestone MEL-TRIM-LUBERON

Gris Limestone
MEL-TRIM-GRIS

Noir Marble
MEL-TRIM-NOIR

This is a summary for quick reference. See pages 19, 20 & 21 for more details.

								1						
Material				Wall Application				Floor Application						
Pattern	Color	Stone	Terracotta	Zellige	Interior Wall/ Backsplash	Steam Shower	Shower Floor	Shower Wall	Exterior Wall	Light Residential	Residential	Light Commercial	Medium Commercial	More Info On Page #
FIELD														
3" x 10"	Gris	•			•			•	•	•	•	•	•	19
3" x 10"	Luberon				•			•	•	•	•	•	•	19
3" x 10"	Noir	•			•			•	•	•	•	•	•	19
Herringbone	Gris	•			•			•	•	•	•	•	•	19
Herringbone	Luberon	•			•			•		•	•	•	•	19
Herringbone	Noir				•			•		•	•	•	•	19
Picket 4" x 10"	Gris	•			•			•	•	•	•	•	•	19
Picket 4" x 10"	Luberon				•			•	•	•	•	•	•	19
Picket 4" x 10"	Noir				•			•	•	•	•	•	•	19
4" x 4" Field	Berber			•	•			•	•	•				20
4" x 4" Field	Blanco Puro				•			•	•	•				20
4" x 4" Field	Blonde Cotto		•		•			•	•	•		•		20
4" x 4" Field	Gris	•			•			•	•	•	•	•	•	19
4" x 4" Field	Latte			•	•			•	•	•				20
4" x 4" Field	Luberon				•					•	•	•	•	19
4" x 4" Field	Noir				•			•	•	•	•		•	19
4" x 4" Field	Peltro				•					•				20
4" x 4" Field	Rouge Cotto		•		•			•		•				20
TRIM	Nouge cotto													20
Trim	Berber													20
	Blanco Puro				•			•	•					
Trim			•	-	•				•					20
Trim Trim	Blonde Cotto Gris		•					•	•					20 19
		-			•									
Trim	Latte			•	•				•					20 19
Trim	Luberon	•			•				•					
Trim	Noir Peltro	-			•				-					19 20
Trim			•		•			•	•					20
	Rouge Cotto		•		•			-	•					20
MOSAICS (Wit	I	T												04
Carthage	Berber	•	•		•			•	•	•	•	•		21
Carthage	Latte	•	•	•	•			•	•	•	•	•		21
Carthage	Sable	•		•	•			•	•	•	•	•		21
Ostia	Berber	•	•		•			•	•	•	•	•		21
Ostia	Blanc Gris	•		•	•			•	•	•	•	•		21
Ostia	Latte	•	•	•	•			•	•	•	•	•		21
Palermo	Berber	•	•		•			•	•	•	•	•		21
Palermo	Latte	•		•	•			•	•	•	•	•		21
Palermo	Sand		•	•	•			•	•	•	•	•		21
Provence	Blanc Gris	•		•	•			•	•	•	•	•		21
Provence	Jaune Noir	•	•		•			•	•	•	•	•		21
Provence	Latte	•		•	•			•	•	•	•	•		21
Sevilla	Blanc Gris	•		•	•			•	•	•	•	•		21
Sevilla	Latte	•		•	•			•	•	•	•	•		21
Sevilla	Noir Rouge	•	•		•			•	•	•	•	•		21
Tangier	Berber	•	•	•	•			•	•	•	•	•		21
Tangier	Blanc Gris	•		•	•			•	•	•	•	•		21
Tangier	Latte	•	•	•	•			•	•	•	•	•		21

Variation, Usage & Technical Information - Natural Stone

Variation

Mélange Natural Stone tiles are products of nature and no two tiles will look exactly alike. Please accept the following characteristics, which are intended and part of the product's appeal.

- Variation in color
- Variation in veining
- Appearance of fossils and other inclusions

- Variation in movement of color and grain size
- Slight variation in surface finis

Variation between samples and tiles received is possible, as handmade techniques of glazing make shade and color variation an inherent part of the product. Samples received before shipments should be considered indicative of color only. Driftwood Design Lab will not honor any claims made for these characteristics listed above if claimed as defects.

Mélange Limestone + Marble Tile - Recommended Usage						
Wall Application	Suitable					
Interior Wall/Backsplash	Yes*					
Fireplace/Cooktop Surround		Yes	3**			
Shower Wall		Yes	s*			
Steam Shower	No					
Exterior Wall	Yes***					
Pool, Spa or Water Feature (fully submerged)	No					
Floor Application	Interior	Exterior				
Shower		No	No			
Residential	Residential					
Light Commercial		Yes	Yes*,***			
Medium Commercial	Yes	Yes*,***				
Application Notes	Floor Application Defin	Definitions				
* With proper sealing and maintenance per setting material and sealer manufacturer recommendations. ** Acceptable for limited and sporadic exposure near open flame or heat source, including fi eplace wall/cooktop surround. It is not recommended for placement inside a fi ebox. *** ONLY acceptable in non-freeze thaw climates unless otherwise stated by setting material and sealer manufacturer in writing.	include a bathroom, bedroom, formal dining note the following: suitable for soft soled sh and heels should be avoided. The floor must abrasive debris (gravel, mud, salt, etc.) Immediately - For residential areas with continuous entry, hallway, kitchen, foyer, laundry note the following: the floor must be kept cleand, gravel, mud, salt, etc.) Immediately cleand, gravel, mud, salt, etc.) Immediately cleand Commercial - For commercial areas with include commercial offices, doctors offices,	or residential areas with light foot traffic. It can be droom, formal dining, and living room. Please with light for soft soled shoes, hard soled shoes avoided. The floor must be kept clean formal, mud, salt, etc.) Immediately clean all stains. Idential areas with continuous foot traffic. It can kitchen, foyer, laundry, and mud rooms. Please e floor must be kept clean formabrasive debrishly, etc.) Immediately clean all stains. For commercial areas with light foot traffic. It can ffices, doctors offices, and bou iques. Please the floor must be kept clean formabrasive debrishly.				

Notes

Since variations are common in natural stone tile, we recommend final selection be made from an actual tile mock-up. To achieve optimal results in shading, layout and design, tile should be randomly selected from multiple boxes during installation. We recommend a minimum of 10% overage on all orders. *Installation constitutes acceptance*. We advise retaining control samples to aid in color matching if additional material is required (match not guaranteed).

MAINTENANCE - Please see Laticrete MCI-118, routine cleaning can be done with light duty, diluted close to neutral pH detergent cleaner or any non-abrasive cleaning solutions.

Variation, Usage & Technical Information - Terracotta Field/Zellige Field

Variation

Terracotta and Zellige tiles are made entirely by hand, and each piece/sheet will show variation in color and texture. The following characteristics are intended in this product and are part of its overall aesthetic.

- Chips off the surface of the tile, exposing clay underneath
- Uneven edging of the tile
- Wide variation in color and shade

- Lime pops that expose the substrate
- Thickness variation
- Size variation from piece to piece

Variation between samples and tiles received is possible, as handmade techniques of glazing make shade and color variation an inherent part of the product. Samples received before shipments should be considered indicative of color only. Driftwood Design Lab will not honor any claims made for these characteristics listed above if claimed as defects.

Mélange Cotto Tile (Rouge and Blonde) + Zellige Tile - Recommended Usage						
Wall Application	Suitable					
Interior Wall/Backsplash	Yes*					
Fireplace/Cooktop Surround	Yes**					
Shower Wall***	Ye	s*				
Steam Shower	No					
Exterior Wall	Yes***					
Pool, Spa or Water Feature (fully submerged)	No					
Floor Application	Interior	Exterior				
Shower	No	No				
Light Residential	Yes	Yes*,***				
Residential (Cotto only, not Zellige)	Yes	Yes*,***				
Light Commercial (Cotto only, not Zellige)	Yes	Yes*,***				

Application Notes

- * With proper sealing and maintenance per setting material and sealer manufacturer recommendations.
- ** Acceptable for limited and sporadic exposure near open flame or heat source, including fi eplace wall/cooktop surround. It is not recommended for placement inside a fi ebox.
- *** ONLY acceptable in non-freeze thaw climates unless otherwise stated by setting material and sealer manufacturer in writing.

Outdoor Residential Floors - Note: when used for an exterior floor Cotto + Zellige will develop a natural patina over time and is to be expected. Chipping, cracking and increased wear are natural when placed in an exterior environment.

Floor Application Definitions

<u>Light Residential</u> - For residential areas with light foot traffic. It ca include a bathroom, bedroom, formal dining, and living room. Please note the following: suitable for soft soled shoes, hard soled shoes and heels should be avoided. The floor must be kept clean f om abrasive debris (gravel, mud, salt, etc.) Immediately clean all stains.

<u>Residential</u> - For residential areas with continuous foot traffic. It ca include entry, hallway, kitchen, foyer, laundry, and mud rooms. Please note the following: the floor must be kept clean f om abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.

<u>Light Commercial</u> - For commercial areas with light foot traffic. It ca include commercial offices, doctors offices, and bou iques. Please note the following: The floor must be kept clean f om abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.

Notes

Since variations are common in handmade terracotta + Zellige tile, we recommend final selec ion be made from an actual tile mock-up. To achieve optimal results in shading, layout and design, tile should be randomly selected from multiple boxes during installation. We recommend a minimum of 10% overage on all orders. *Installation constitutes acceptance*. We advise retaining control samples to aid in color matching if additional material is required (match not guaranteed).

MAINTENANCE - Please see Laticrete MCI-118, routine cleaning can be done with light duty, diluted close to neutral pH detergent cleaner or any non-abrasive cleaning solutions.

Variation, Usage & Technical Information - Mixed Material Mosaics

Variation

Mélange Mosaic tiles are made entirely by hand from Natural Stone, Terracotta and Zellige. Each piece/sheet will show variation in color and texture. The following characteristics are intended in this product and are part of its overall aesthetic.

- Chips off the surface of the tile, exposing clay underneath
- Uneven edging of the tile
- Wide variation in color and shade

- Lime pops that expose the substrate
- Thickness variation
- Size variation from piece to piece

Variation between samples and tiles received is possible, as handmade techniques of glazing make shade and color variation an inherent part of the product. Samples received before shipments should be considered indicative of color only. Driftwood Design Lab will not honor any claims made for these characteristics listed above if claimed as defects.

Mélange Mosaics - Recommended Usage					
Wall Application	Suitable				
Interior Wall/Backsplash	Yes*				
Fireplace/Cooktop Surround	Yes**				
Shower Wall	Yes*				
Steam Shower	No				
Exterior Wall	Yes***				
Pool, Spa or Water Feature (fully submerged)	No				
Floor Application	Interior	Exterior			
Shower	No	No			
Light Residential	Yes	Yes*,***			
Residential	Yes	Yes*,***			
Light Commercial	Yes	Yes*,***			

Application Notes

- * With proper sealing and maintenance per setting material and sealer manufacturer recommendations.
- ** Acceptable for limited and sporadic exposure near open flame or heat source, including fi eplace wall/cooktop surround. It is not recommended for placement inside a fi ebox.
- *** ONLY acceptable in non-freeze thaw climates unless otherwise stated by setting material and sealer manufacturer in writing.

Outdoor Residential Floors - Note: when used for an exterior floor Mélange Mosaics will develop a natural patina over time and is to be expected. Chipping, cracking and increased wear are natural when placed in an exterior environment.

Floor Application Definitions

<u>Light Residential</u> - For residential areas with light foot traffic. It ca include a bathroom, bedroom, formal dining, and living room. Please note the following: suitable for soft soled shoes, hard soled shoes and heels should be avoided. The floor must be kept clean f om abrasive debris (gravel, mud, salt, etc.) Immediately clean all stains.

<u>Residential</u> - For residential areas with continuous foot traffic. It ca include entry, hallway, kitchen, foyer, laundry, and mud rooms. Please note the following: the floor must be kept clean f om abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.

<u>Light Commercial</u> - For commercial areas with light foot traffic. It ca include commercial offices, doctors offices, and bou iques. Please note the following: The floor must be kept clean f om abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.

Notes

Since variations are common in handmade mosaic tiles, we recommend final selection be made from an actual tile mock-up. To achieve optimal results in shading, layout and design, tile should be randomly selected from multiple boxes during installation. We recommend a minimum of 10% overage on all orders. *Installation constitutes acceptance*. We advise retaining control samples to aid in color matching if additional material is required (match not guaranteed).

MAINTENANCE - Please see Laticrete MCI-118, routine cleaning can be done with light duty, diluted close to neutral pH detergent cleaner or any non-abrasive cleaning solutions.



OUR SHOWROOMS

NEW JERSEY

Dover

Princeton

Roselle Park

Wall

West Berlin

Wyckoff

PENNSYLVANIA

Bethlehem

Lancaster

Philadelphia

Warminster

SOUTH CAROLINA

Charleston

Columbia

GEORGIA

Savannah









