

GARDEN STATE TILE

Together We Can Design For Life

AZUMA ROCK



AZUMA ROCK

Azuma Rock debuts as the next collection in Garden State Tile's stone look cement-effect series. Azuma Rock is the perfect blend of precision and nature, available in 4 popular large formats and in five light elegant shades. Azuma Rock is suitable for all interior and exterior applications, including pool tile, making it a very well-rounded collection for both residential and commercial projects.



SAND (S)



IVORY (AV)



WHITE (W)



CAMARGUE (CG)




SILVER (AG)



GREY (G)




A.RCK 120S RM . A.RCK6 278S RM






A.RCK 120S RM



A.RCK6 120S RM . A.RCK6 278S RM




A.RCK6 120S RM . A.RCK6 278S RM . RTN6 PETRO278RM





A.RCK6 120AV RM . RTN6 MENTA278RM






A.RCK6 120AV RM








A.RCK6 120CG RM . A.RCK6 278CG RM








A.RCK6 120AG RM . A.RCK R12AG RM





A.RCK6 120AG RM



A.RCK R12AG RM . A.RCK 60AG ASRM



A.RCK 90G RM . A.RCK6 278G RM





A.RCK 90G RM



A.RCK 90G ASRM




COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA
CONFORME / ACCORDING TO
UNI EN 14411 - G BIa



SAND (S)



5 different graphics / 5 grafiche differenti



6,5				A.RCK6 278S RM 192111	A.RCK6 120S RM 192123	A.RCK6 12S RM 192129					
10					A.RCK 120S RM 193140	A.RCK 12S RM 193146	A.RCK 90S RM 193189	A.RCK 60S RM 193206	A.RCK 36S RM 193171	MK.A.RCK 30S 194391	
10						A.RCK R12S RM 193201		A.RCK R60S RM 193218			
20							A.RCK 90S ASRM 193250	A.RCK 60S ASRM 193236			


COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA
CONFORME / ACCORDING TO
UNI EN 14411 - G Bla



IVORY (AV)



5 different graphics / 5 grafiche differenti



6,5		N		A.RCK6 278AV RM 192107	A.RCK6 120AV RM 192119	A.RCK6 12AV RM 192125					
10		N			A.RCK 120AV RM 193136	A.RCK 12AV RM 193142	A.RCK 90AV RM 193185	A.RCK 60AV RM 193160	A.RCK 36AV RM 193167	MK.A.RCK 30AV 194387	
10		N				A.RCK R12AV RM 193197		A.RCK R60AV RM 193214			
20		N					A.RCK 90AV ASRM 193246	A.RCK 60AV ASRM 193232			


COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA
CONFORME / ACCORDING TO
UNI EN 14411 - G Bla



WHITE (W)



5 different graphics / 5 grafiche differenti



120x278 - 48"x110" 120x120 - 48"x48" 60x120 - 24"x48" 90x90 - 36"x36" 60x60 - 24"x24" 30x60 - 12"x24" 30x30 - 12"x12"

6,5		N		A.RCK6 278W RM 192112	A.RCK6 120W RM 192124	A.RCK6 12W RM 192130					
10		N			A.RCK 120W RM 193141	A.RCK 12W RM 193147	A.RCK 90W RM 193190	A.RCK 60W RM 193207	A.RCK 36W RM 193172	MK.A.RCK 30W 194392	
10		N				A.RCK R12W RM 193202		A.RCK R60W RM 193219			
20		N					A.RCK 90W ASRM 193251	A.RCK 60W ASRM 193237			




COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA
CONFORME / ACCORDING TO
UNI EN 14411 - G BIa



CAMARGUE
(CG)



5 different graphics / 5 grafiche differenti



120x278 - 48"x110" 120x120 - 48"x48" 60x120 - 24"x48" 90x90 - 36"x36" 60x60 - 24"x24" 30x60 - 12"x24" 30x30 - 12"x12"

6,5		N		A.RCK6 278CG RM 192109	A.RCK6 120CG RM 192121	A.RCK6 12CG RM 192127					
10		N			A.RCK 120CG RM 193138	A.RCK 12CG RM 193144	A.RCK 90CG RM 193187	A.RCK 60CG RM 193204	A.RCK 36CG RM 193169	MK.A.RCK 30CG 194389	
10		N				A.RCK R12CG RM 193199		A.RCK R60CG RM 193216			
20		N					A.RCK 90CG ASRM 193248	A.RCK 60CG ASRM 193234			




COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA
CONFORME / ACCORDING TO
UNI EN 14411 - G Bla



SILVER (AG)



5 different graphics / 5 grafiche differenti



6,5		N		A.RCK6 278AG RM 192108	A.RCK6 120AG RM 192120	A.RCK6 12AG RM 192126					
10		N			A.RCK 120AG RM 193137	A.RCK 12AG RM 193143	A.RCK 90AG RM 193186	A.RCK 60AG RM 193203	A.RCK 36AG RM 193168	MK.A.RCK 30AG 194388	
10		N				A.RCK R12AG RM 193198		A.RCK R60AG RM 193215			
20		N					A.RCK 90AG ASRM 193247	A.RCK 60AG ASRM 193233			




COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA
CONFORME / ACCORDING TO
UNI EN 14411 - G BIa



GREY (G)



5 different graphics / 5 grafiche differenti






6,5		N		A.RCK6 278G RM 192110	A.RCK6 120G RM 192122	A.RCK6 12G RM 192128					
10		N			A.RCK 120G RM 193139	A.RCK 12G RM 193145	A.RCK 90G RM 193188	A.RCK 60G RM 193205	A.RCK 36G RM 193170	MK.A.RCK 30G 194390	
10		N				A.RCK R12G RM 193200		A.RCK R60G RM 193217			
20		N					A.RCK 90G ASRM 193249	A.RCK 60G ASRM 193235			

COLOR BODY PORCELAIN TILE
ACCORDING TO
UNI EN 14411 - G Bla

Special pieces and backgrounds can have slightly different shades from one another.
There can be a slight color difference on the edge between the surface and the main ceramic piece.

SPECIAL PIECES

 10	 6x120-2.4"x48" 	 6x90-2.4"x36" 	 6x60-2.4"x24" 	 120x32,5-48"x12.8" 
SAND (S)	A.RCK BT120S 194367	A.RCK BT90S 194373	A.RCK BT60S 194379	A.RCK G120S 194385
IVORY (AV)	A.RCK BT120AV 194363	A.RCK BT90AV 194369	A.RCK BT60AV 194375	A.RCK G120AV 194381
WHITE (W)	A.RCK BT120W 194368	A.RCK BT90W 194374	A.RCK BT60W 194380	A.RCK G120W 194386
CAMARGUE (CG)	A.RCK BT120CG 194365	A.RCK BT90CG 194371	A.RCK BT60CG 194377	A.RCK G120CG 194383
SILVER (AG)	A.RCK BT120AG 194364	A.RCK BT90AG 194372	A.RCK BT60AG 194378	A.RCK G120AG 194382
GREY (G)	A.RCK BT120G 194366	A.RCK BT90G 194372	A.RCK BT60G 194378	A.RCK G120G 194384

PACKAGING




			SCATOLA / BOX			PALLET		
FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPESSORE THICKNESS	PZ/BOX PCS/BOX	MQ/BOX SM/BOX	KG/BOX KG/BOX	BOX/PALLET BOXES/PALLET	MQ/PALLET SM/PALLET	KG/PALLET KG/PALLET
120x278-48"x110"	RECTIFIED	6,5	1	3,336	53,00	20	66,72	1.080,00
120x120-48"x48"	RECTIFIED	6,5	2	2,88	44,74	30	86,40	1.362,25
120x120-48"x48"	RECTIFIED	10	1	1,44	33,20	36	51,84	1.215,20
60x120-24"x48"	RECTIFIED	6,5	4	2,88	45,19	16	46,08	743,07
60x120-24"x48"	RECTIFIED	10	2	1,44	32,25	30	43,20	987,50
90x90-36"x36"	RECTIFIED	10	2	1,62	37,00	22	35,64	834,00
60x60-24"x24"	RECTIFIED	10	3	1,08	24,05	40	43,20	978,00
30x60-24"x24"	RECTIFIED	10	6	1,08	23,90	40	43,20	976,00
30x30-12"x12" MOSAIC	MOSAIC	10	6	0,54	11,83	48	25,92	584,03





TECHNICAL FEATURES SPECIFICATIONS

	DIN EN 16165 Annex B (DIN 51130) (R)	DIN EN 16165 Annex A (DIN 51097) (A+B+C)	B.C.R. DM 14/6/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF)
			C.A.	G.B.				AVERAGE VALUE
AZUMA ROCK	R10	A+B	>0.4	>0.4	>25	P2	1	>0,42
AZUMA ROCK 	R11	B+C	>0.4	>0.4	>36	P4	3	>0,42



SPECIAL PIECES

 20	 20 SQUARE BORDER costa lucida SQUARE BORDER polished edge 90x90-36"x36" 	 20 SQUARE BORDER costa lucida SQUARE BORDER polished edge 60x60-24"x24" 	 20 GRADONE costa lucida TERRACE polished edge 33x60-13"x24" 
SAND (S)	A.RCK SB90S AS 194403	A.RCK SB60S AS 194397	A.RCK GR336S AS 194409
IVORY (AV)	A.RCK SB90AV AS 194399	A.RCK SB60AV AS 194393	A.RCK GR336AVAS 194405
WHITE (W)	A.RCK SB90W AS 194404	A.RCK SB60W AS 194398	A.RCK GR336W AS 194410
CAMARGUE (CG)	A.RCK SB90CG AS 194401	A.RCK SB60CG AS 194395	A.RCK GR336CGAS 194407
SILVER (AG)	A.RCK SB90AG AS 194400	A.RCK SB60AG AS 194394	A.RCK GR336AGAS 194406
GREY (G)	A.RCK SB90G AS 194402	A.RCK SB60G AS 194396	A.RCK GR336G AS 194408

 20	 20 BORDO PISCINA costa lucida POOL EDGE polished edge 30x60-12"x24" 	 20 GRIGLIA PISCINA POOL GRILLE 20x60-8"x24" 	 20 ELEMENTO A ELLE L-SHAPED 30x60x5-12"x24"x2" 	 20 ELEMENTO A ELLE L-SHAPED 30x90x5-12"x36"x2" 
SAND (S)	A.RCK BP60S AS 194427	A.RCK GP60S AS 194433	A.RCK L 60S AS 194415	A.RCK L 90S AS 194421
IVORY (AV)	A.RCK BP60AV AS 194423	A.RCK GP60AV AS 194429	A.RCK L 60AV AS 194411	A.RCK L 90AV AS 194417
WHITE (W)	A.RCK BP60W AS 194428	A.RCK GP60W AS 194434	A.RCK L 60W AS 194416	A.RCK L 90W AS 194422
CAMARGUE (CG)	A.RCK BP60CG AS 194425	A.RCK GP60CG AS 194431	A.RCK L 60CG AS 194413	A.RCK L 90CG AS 194419
SILVER (AG)	A.RCK BP60AG AS 194424	A.RCK GP60AG AS 194430	A.RCK L 60AG AS 194412	A.RCK L 90AG AS 194418
GREY (G)	A.RCK BP60G AS 194426	A.RCK GP60G AS 194432	A.RCK L 60G AS 194414	A.RCK L 90G AS 194420

PACKAGING

			SCATOLA / BOX			PALLET		
FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPESSORE THICKNESS	PZ/BOX PCS/BOX	MQ/BOX SM/BOX	KG/BOX KG/BOX	BOX/PALLET BOXES/PALLET	MQ/PALLET SM/PALLET	KG/PALLET KG/PALLET
90x90-36"x36"	RECTIFIED	20	1	0,81	35,50	30	24,30	1.085,00
60x60-24"x24"	RECTIFIED	20	2	0,72	32,35	32	23,04	1.055,20

TECHNICAL FEATURES SPECIFICATIONS

	DIN EN 16165 Annex B (DIN 51130) (R)	DIN EN 16165 Annex A (DIN 51097) (A+B+C)	B.C.R. DM 14/6/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF)
			C.A.	G.B.				AVERAGE VALUE
AZUMA ROCK AS 	R11	B+C	>0.4	>0.4	>36	P4	3	>0,42

Technical Specifications Porcelain Stoneware

ACCORDING TO
UNI EN 14411 - G Bla

CARATTERISTICA Specification	METODO DI PROVA Test methods	REQUISITI PREVISTI DALLA NORMA Requirements in accordance to the standards	VALORE MEDIO Average value
 DIMENSIONI E ASPETTO DIMENSIONS AND APPEARANCE	ISO 10545-2	PROSPETTO G.1 PROSPECT G.1	CONFORME COMPLIANT
 ASSORBIMENTO D'ACQUA WATER ABSORPTION	ISO 10545-3	≤ 0,5%	< 0,1%
 RESISTENZA A FLESSIONE FLEXURAL RESISTANCE		min. 35 N/mm²	> 45 N/mm²
 SFORZO DI ROTTURA MODULUS OF RUPTURE	ISO 10545-4	SPESSORE / THICKNESS ≥ 7,5 mm: min. 1300N	6,5 mm 1800 N*
		SPESSORE* THICKNESS*	10 mm 3000 N*
		SPESSORE / THICKNESS < 7,5 mm: min. 1300 N	20 mm 13000 N*
 RESISTENZA ALL'ABRAZIONE PROFONDA DEEP ABRASION RESISTANCE	ISO 10545-6	≤ 175 mm³	< 140 mm³
 COEFFICIENTE DILATAZIONE TERMICA LINEARE (α) LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	METODO DISPONIBILE AVAILABLE ON REQUEST	≤ 7x10 ⁻⁶ °C ⁻¹
 RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	METODO DISPONIBILE AVAILABLE ON REQUEST	RESISTE RESISTANT
 RESISTENZA AL GELO FROST RESISTANCE	ISO 10545-12	RICHIESTA ALWAYS TESTED	RESISTE RESISTANT
 PRODOTTI CHIMICI AD USO DOMESTICO ED ADDITIVI PER PISCINA HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS		min. B	min. B
ACIDI ED ALCALI A BASSA CONCENTRAZIONE ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	DA LA, LB A LC FROM LA, LB TO LC	DA LA, LB A LC FROM LA, LB TO LC
ACIDI ED ALCALI AD ALTA CONCENTRAZIONE ACIDS AND HIGH CONCENTRATION ALKALIS		METODO DISPONIBILE AVAILABLE ON REQUEST	METODO DISPONIBILE AVAILABLE ON REQUEST
 RESISTENZA ALLE MACCHIE UGL STAIN RESISTANCE UGL	ISO 10545-14	METODO DISPONIBILE AVAILABLE ON REQUEST	METODO DISPONIBILE AVAILABLE ON REQUEST
RESISTENZA ALLE MACCHIE GL STAIN RESISTANCE GL		min. 3	min. 3

* VALORI RIFERITI AL FORMATO 60X60 / VALUES REFERRED TO 60X60 SIZE

Symbols

INDICAZIONI D'USO
INDICATIONS FOR USE

 Pavimento
Floor tiles

 Rivestimento
Wall tiles

DESTINAZIONI D'USO
SUGGESTED APPLICATIONS

 Abitazioni
Domestic purpose

 Commerciale leggero
Light commercial

 Commerciale
Commercial

 Esterni
Outdoor floor

SUPERFICI
SURFACES

Finitura
Finish

N

Naturale
Natural

Aspetto superficiale
Surface look

 Opaco
Matt

Bordo
Edge

RM

Rettificato monocalibro
Monocaliber, rectified

STONALIZZAZIONE
SHADE VARIATION

V2



SPESSORE
THICKNESS

 6,5

 10

 20

CARATTERISTICHE DI VENDITA
SALES CHARACTERISTICS

 Imballo.
Packaging.

 Prodotto venduto al pezzo.
Product sold per item.

Tutti i nostri prodotti, sia al mq che al pezzo, sono
venduti unicamente a scatola completa.
All our products are sold only in complete boxes, whether
the unit of measure is per item or per square metre.



OUR SHOWROOMS

NEW JERSEY

Dover
Princeton
Roselle Park
Wall
West Berlin
Wyckoff

PENNSYLVANIA

Bethlehem
Lancaster
Philadelphia
Warminster

SOUTH CAROLINA

Charleston
Columbia

GEORGIA

Savannah

GARDEN STATE TILE

Together We Can Design For Life

GSTILE.COM



@GARDENSTATETILE