

GARDEN STATE TILE

Together We Can Design For Life

I CEMENTI



INDEX

I Cementi ³

ARCHITECTURE #1	13
ARCHITECTURE #2	37
ARCHITECTURE #3	59
ARCHITECTURE #4	81
ARCHITECTURE #5	103

Technical Information ¹²⁵



An eclectic collection with a distinctive character

An icon of contemporary architecture, concrete inspires the I Cementi collection with its raw, essential purity. A versatile material explored by Italgraniti through a wide range of expressive possibilities: surface treatments and finishes enhance the material depth, combined with an increasingly rich color palette that extends towards warmer, softer and more natural tones.

Organic decorations and striking designs

The textures are enlivened by a deliberately irregular organic pattern that stands out in relief on the smooth, homogeneous surfaces. A rounded decoration with an almost “primitive” style that combines with the industrial look of cement, for a distinctive scenic cladding.



RealUp® + StrideUp®

With RealUp®, patterns and three-dimensional depth achieve an unprecedented synergy: the overall design of the ceramic surface boasts astonishing depth and intricacy. Colour and structure coincide in perfect harmony, giving the I Cementi surfaces unparalleled richness of texture.

StrideUp® extends the functional potentials of porcelain stoneware. This technology introduces a new type of surface, with high slip resistance yet soft to the touch and easy to clean. A combination made possible by the nanotechnology of infinitesimal raw materials that constitute the surface.

ARCHITECTURE

#1



Ivory, Argil, Flax, Black



I Cementi Ivory 120x280, Natural Beige 60x120x2

An office building where the I Cementi collection enhances contemporary design, giving the surfaces a clear material presence. The regular rhythm of glazed façades and pillars, interrupted by the projecting entrance canopy, creates dynamic perspective effects. In the large, monumental lobby, black volumes set against a soft, neutral backdrop emphasise verticality. More intimate atmospheres define the work and social areas, where the Ivory and Argil shades interact with natural light, from the stepped seating for informal meetings to the bistro and offices, all marked by a relaxed, refined mood.







I Cementi Ivory 120x280, I Cementi Black Listello Tratto 20x120, Natural Dark 120x280, I Cementi Argil 120x120




I Cementi Ivory 120x280, I Cementi Argil 120x120





Espresso	31
Latte	34,7
Mocha	34,5
Cappuccino	33
Americano	33
Hot Chocolate	35
Doppio	33
Green Tea	22,8
Black Tea	14
Mint Tea	22,8
White Tea	22,8
Macedonia	33
Ice Espresso	33
Ice Latte	34,2
Ice Mocha	34,5
Ice Cappuccino	33
Ice Americano	33



I Cementi Ivory 120x280, I Cementi Argil Mosaico 30x30, I Cementi Ivory Ciottolo 120x120






I Cementi Ivory 120x280, Natural Dark 120x280, I Cementi Argil 60x120







I Cementi Ivory 120x280, I Cementi Argil 60x120



ARCHITECTURE

#2

Argil, Flax, Moka

The image is a collage of architectural material samples. It features several distinct textures and colors: a dark charcoal background at the top; a large section of light beige and tan textured surfaces; a vertical strip of dark brown material; a grid of dark brown squares with thin gold lines; and a textured surface with embedded stones and pebbles in shades of brown and tan.



I Cementi Ivory 120x280, Natural Flax Listello Tratto 20x120

The archetype of the rural house, defined by a traditional pitched roof, reinterpreted in a contemporary key with a minimalist palette. Natural Flax and Argil tones wrap the exterior, strengthening the home's connection with the landscape. Inside, the same shades expand the spaces with their vibrant light. By contrast, functional elements – the living room fireplace and the kitchen worktop – stand out in the intensity of Moka, echoed in the study floor and the cozy bathroom niche.





I Cementi Flax 60x120x2



I Cementi Ivory 120x280, Natural Moka Muretto 30x30, I Cementi Argil Ciottolo 120x120







I Cementi Ivory 120x280, I Cementi Moka 120x280, I Cementi Argil Ciottolo 120x120




I Cementi







I Cementi Argil 120x280, I Cementi Moka 60x120



I Cementi Argil 60x120, I Cementi Moka 120x120, 60x120



ARCHITECTURE

#3



Beige, Flax, Taupe



I Cementi Flax 60x120, I Cementi Taupe Decoro Lito 3D 60x120,
I Cementi Taupe Listello Tratto 20x120, I Travertini Grigio Vein Cut 60x120

An attic shaped by natural light where the concrete-effect wall tiles, with their textural vibration, create an unexpected balance between solids and voids. Outside, the warm and delicate Taupe shade gives continuity to the façade, softening the contrast between the sharp geometries of the large windows and the masonry elements. Neutral Beige and Flax tones for the interior enhance the brightness of the different rooms.



I Cementi Flax Muretto 30x30, I Cementi Beige Muretto 30x30

I Cementi







I Cementi Beige 120x280, I Cementi Flax Muretto 30x30, I Cementi Taupe 120x120



I Cementi Beige 120x280, I Cementi Taupe 120x120, I Travertini Grigio Vein Cut 60x120







I Cementi Flax 120x280, I Cementi Flax Decoro Lito 3D 60x120, Nuances Tortora 120x280, I Cementi Flax Ciottolo 120x120







I Cementi Flax 120x280, I Cementi Taupe 120x280, I Cementi Taupe Muretto 30x30, I Cementi Flax Ciottolo 120x120

ARCHITECTURE

#4



Greige, Grey, Dark





I Cementi Greige 120x280, I Cementi Dark Muretto 30x30, I Cementi Greige Ciottolo 120x120

The depth of the concrete-effect surfaces enhances an architecture with a brutalist taste. Strong contrasts between light and shadow, expressive volumes and a pitched roof tell of a design with character where the essentiality of the material is the protagonist. The skilful use of the I Cementi collection emphasises the rigour of the structure, with a palette that plays on darker tones both indoors and outdoors.








I Cementi Dark 120x280, Marble Experience Orobivo Grey 120x280, I Cementi Grey 120x280





I Cementi Greige 120x280, I Cementi Greige Ciottolo 120x120







I Cementi Grey 120x280, I Cementi Dark Listello Tratto 20x120, Nuances Nero, I Cementi Dark 120x120



I Cementi Greige 120x280, I Cementi Greige Decoro Lito 3D 60x120, I Cementi Grey 120x120






I Cementi Dark Listello Tratto 20x120, I Cementi Grey 120x280



ARCHITECTURE

#5



White, Beige, Flax



A house with a bright Mediterranean atmosphere. A purist architecture where the light textures of the I Cementi collection caress the volumes, closely follow their simplicity and help create continuity between indoors and outdoors, between different geometries and elements. Beams of natural light enter from the ceiling cuts, amplified by the light and enveloping tones chosen for the wall tiling.







I Cementi White 120x280, I Cementi Beige 120x280, Essence Warm 20x120






I Cementi White 120x280, I Cementi Beige Listello Tratto 20x120, I Cementi Flax 120x280, I Cementi White Ciottolo 120x120





I Cementi Beige 120x280, I Cementi Flax, I Cementi Flax Decoro Lito 3D 60x120, Essence Warm 20x120



I Cementi

I Cementi Beige 120x280, I Cementi Flax Muretto 30x30, Nuances Avorio, I Cementi Flax 120x120





New Antislip 120x120

Italgraniti introduces an exciting new development for outdoor surfaces: the 120x120 cm Antislip StrideUp® format in 9 mm thickness, perfectly coordinated with the traditional thickness of indoor surfaces. A distinctive solution that expands design possibilities, enabling seamless combinations and integrations between indoor and outdoor spaces. The 120x120 anti-slip modules feature StrideUp® technology, combining high slip resistance with a surprisingly soft, refined tactile quality.




Technical Information

I Cementi

New Innovative Technology RealUp + StrideUp

Available colours



White




White Ciottolo




Beige



NEW Ivory



NEW Ivory Ciottolo



NEW Argil




NEW Argil Ciottolo



Flax




Flax Ciottolo



Taupe




NEW Moka



Greige



Greige Ciottolo



Grey



Dark



NEW Black

V2 MODERATE
All Colours

White



Beige



6 mm
MEGA
Naturale



120 x 280 cm
47 1/4" x 110 1/4"

9 mm
RealUp + StrideUp



120 x 120 cm
47 1/4" x 47 1/4"



80 x 80 cm
31 1/2" x 31 1/2"



60 x 120 cm
23 1/2" x 47 1/4"



60 x 60 cm
23 1/2" x 23 1/2"



30 x 60 cm
11 7/8" x 23 1/2"

20 mm
OPEN



60 x 120 cm
23 1/2" x 47 1/4"



60 x 60 cm
23 1/2" x 23 1/2"

	6 mm MEGA Naturale	9 mm RealUp + StrideUp	20 mm OPEN
White	FL01XPA	FL0112 FL0188	FL01BA FL0168 FL0163
White Antislip			FL01BAA
Beige	FL02XPA	FL0212 FL0288	FL02BA FL0268 FL0263
Beige Antislip		FL0212A	FL02BAA

Ivory



Argil



6 mm
MEGA
Naturale



120 x 280 cm
47 1/4" x 110 1/4"

9 mm
RealUp + StrideUp



120 x 120 cm
47 1/4" x 47 1/4"



80 x 80 cm
31 1/2" x 31 1/2"



60 x 120 cm
23 1/2" x 47 1/4"



60 x 60 cm
23 1/2" x 23 1/2"



30 x 60 cm
11 7/8" x 23 1/2"

20 mm
OPEN



60 x 120 cm
23 1/2" x 47 1/4"



60 x 60 cm
23 1/2" x 23 1/2"

	6 mm MEGA Naturale	9 mm RealUp + StrideUp	20 mm OPEN
Ivory	FL08XPA	FL0812 FL0888	FL08BA FL0868 FL0863
Ivory Antislip		FL0812A	FL08BAA
Argil	FL09XPA	FL0912 FL0988	FL09BA FL0968 FL0963
Argil Antislip		FL0912A	FL09BAA

Flax



Taupe



6 mm MEGA Naturale	9 mm RealUp + StrideUp			20 mm OPEN	
120 x 280 cm 47 1/4" x 110 1/4"	120 x 120 cm 47 1/4" x 47 1/4"	80 x 80 cm 31 1/2" x 31 1/2"	60 x 120 cm 23 1/2" x 47 1/4"	60 x 60 cm 23 1/2" x 23 1/2"	30 x 60 cm 11 7/8" x 23 1/2"

Flax	FL03XPA	FL0312	FL0388	FL03BA	FL0368	FL0363	
Flax Antislip				FL03BAA			FL03BA2 FL03682
Taupe	FL04XPA	FL0412	FL0488	FL04BA	FL0468	FL0463	
Taupe Antislip				FL04BAA			FL04BA2 FL04682

Moka



6 mm MEGA Naturale	9 mm RealUp + StrideUp			20 mm OPEN	
120 x 280 cm 47 1/4" x 110 1/4"	120 x 120 cm 47 1/4" x 47 1/4"	80 x 80 cm 31 1/2" x 31 1/2"	60 x 120 cm 23 1/2" x 47 1/4"	60 x 60 cm 23 1/2" x 23 1/2"	30 x 60 cm 11 7/8" x 23 1/2"

Moka	FL10XPA	FL1012	FL1088	FL10BA	FL1068	FL1063	
Moka Antislip							

Greige



Grey



6 mm MEGA Naturale	9 mm RealUp + StrideUp			20 mm OPEN	
120 x 280 cm 47 1/4" x 110 1/4"	120 x 120 cm 47 1/4" x 47 1/4"	80 x 80 cm 31 1/2" x 31 1/2"	60 x 120 cm 23 1/2" x 47 1/4"	60 x 60 cm 23 1/2" x 23 1/2"	30 x 60 cm 11 7/8" x 23 1/2"

Greige	FL05XPA	FL0512	FL0588	FL05BA	FL0568	FL0563
Greige Antislip				FL05BAA		
Grey	FL06XPA	FL0612	FL0688	FL06BA	FL0668	FL0663
Grey Antislip				FL06BAA		FL06BA2 FL06682

Dark



Black



6 mm MEGA Naturale	9 mm RealUp + StrideUp			20 mm OPEN	
120 x 280 cm 47 1/4" x 110 1/4"	120 x 120 cm 47 1/4" x 47 1/4"	80 x 80 cm 31 1/2" x 31 1/2"	60 x 120 cm 23 1/2" x 47 1/4"	60 x 60 cm 23 1/2" x 23 1/2"	30 x 60 cm 11 7/8" x 23 1/2"

Dark	FL07XPA	FL0712	FL0788	FL07BA	FL0768	FL0763
Black	FL11XPA	FL1112	FL1188	FL11BA	FL1168	FL1163

White Ciottolo



Ivory Ciottolo



Greige Ciottolo



Argil Ciottolo



Flax Ciottolo



■ 9 mm
RealUp + StrideUp


□	□
60 x 120 cm	120 x 120 cm
23 1/2" x 47 1/4"	47 1/4" x 47 1/4"

White Ciottolo	FL01BAC	FL0112C
Ivory Ciottolo	FL08BAC	FL0812C
Argil Ciottolo	FL09BAC	FL0912C
Flax Ciottolo	FL03BAC	FL0312C
Greige Ciottolo	FL05BAC	FL0512C


Mosaic (9 mm)



Muretto (6 mm / 9 mm)



Listello Tratto (6 mm)



Decoro Lito 3D

60 x 120 cm / 23 1/2" x 47 1/4"



White
■ **FL01DLT**



Beige
■ **FL02DLT**



Ivory
■ **FL08DLT**



Argil
■ **FL09DLT**



Flax
■ **FL03DLT**



Taupe
■ **FL04DLT**



Moka
■ **FL10DLT**



Greige
■ **FL05DLT**



Grey
■ **FL06DLT**




Dark
■ **FL07DLT**



Black
■ **FL11DLT**

Installation systems



■ 9 mm
RealUp + StrideUp



Decoro Lito 3D
60 x 120 cm - 23 1/2" x 47 1/4"
(3 pezzi)

White	■ FL01DLT
Beige	■ FL02DLT
Ivory	■ FL08DLT
Argil	■ FL09DLT
Flax	■ FL03DLT
Taupe	■ FL04DLT
Moka	■ FL10DLT
Geige	■ FL05DLT
Grey	■ FL06DLT
Dark	■ FL07DLT
Black	■ FL11DLT



38 x 60 cm
15" x 23 1/2"



50 x 60 cm
11 11/16" x 23 1/2"
















32 x 60 cm
12 5/8" x 23 1/2"














Designed by the architects Andrea Parisio and Giuseppe Pezzano, it is an integrated decoration with three-dimensional depth. The pleasingly irregular shape evokes archetypal beauty, creating striking patterns. The decor is proposed in all colors of the I Cement collection. Each box is sold containing 3 pieces that form a composition 60 x 120 cm.

Special pieces

	■ 9 mm				
	 BATTISCOPA 7 x 60 cm 2 ³ / ₄ " x 2 ³ / ₂ "	 BATTISCOPA 7 x 120 cm 2 ³ / ₄ " x 4 ⁷ / ₄ "	 GRADONE CON TORO 120 x 33 x 4 cm 4 ⁷ / ₄ " x 1 ³ / ₄ "	 ELEMENTO "L" INCOLLATO 4,5 x 16,5 x 60 cm 1 ³ / ₄ " x 6 ¹ / ₂ " x 2 ³ / ₂ "	 ELEMENTO "L" INCOLLATO 4,5 x 16,5 x 120 cm 1 ³ / ₄ " x 6 ¹ / ₂ " x 4 ⁷ / ₄ "
White	■ FL0176	■ FL01BT7	■ FL01GT2		
White Antislip				■ FL0195I	
Beige	■ FL0276	■ FL02BT7	■ FL02GT2		
Beige Antislip				■ FL0295I	■ FL02EL120
Ivory	■ FL0876	■ FL08BT7	■ FL08GT2		
Ivory Antislip				■ FL0895I	■ FL08EL120
Argil	■ FL0976	■ FL09BT7	■ FL09GT2		
Argil Antislip				■ FL0995I	■ FL09EL120
Flax	■ FL0376	■ FL03BT7	■ FL03GT2		
Flax Antislip				■ FL0395I	
Taupe	■ FL0476	■ FL04BT7	■ FL04GT2		
Taupe Antislip				■ FL0495I	
Moka	■ FL1076	■ FL10BT7	■ FL10GT2		
Greige	■ FL0576	■ FL05BT7	■ FL05GT2		
Greige Antislip				■ FL0595I	
Grey	■ FL0676	■ FL06BT7	■ FL06GT2		
Grey Antislip				■ FL0695I	
Dark	■ FL0776	■ FL07BT7	■ FL07GT2		
Black	■ FL1176	■ FL11BT7	■ FL11GT2		

I Cementi 60x120 - 60x60

	DIMENSIONE PEZZO ITEM SIZE	FONDI ABBINATI MATCHING REGULAR TILES	FLAX	TAUPE	GREY	PCS BOX	
 Gradone Assemblato	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	60x60	FL03G6A	FL04G6A	FL06G6A	3	
	30x120 cm - 11 ^{7/8} "x47 ^{1/4} "	60x120	FL03G5A	FL04G5A	FL06G5A	2	
 Gradone Angolare Assemblato DX e SX	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	60x60	DX	FL03D6A	FL04D6A	FL06D6A	3
			SX	FL03S6A	FL04S6A	FL06S6A	3
	30x120 cm - 11 ^{7/8} "x47 ^{1/4} "	60x120	DX	FL03D5A	FL04D5A	FL06D5A	2
			SX	FL03S5A	FL04S5A	FL06S5A	2
 Angolare Interno Assemblato 45°	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	2 pz	60x60	FL03AI6A	FL04AI6A	FL06AI6A	1 set
	30x120 cm - 11 ^{7/8} "x47 ^{1/4} "	2 pz	60x120	FL03AI5A	FL04AI5A	FL06AI5A	1 set
 Angolare Esterno Assemblato 45°	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	2 pz	60x60	FL03AE6A	FL04AE6A	FL06AE6A	1 set
	30x120 cm - 11 ^{7/8} "x47 ^{1/4} "	2 pz	60x120	FL03AE5A	FL04AE5A	FL06AE5A	1 set
 Alzata con Scurelto	20x60 cm - 8"x23 ^{1/2} "	60x60	FL03AL	FL04AL	FL06AL	2	
	20x120 cm - 8"x47 ^{1/4} "	60x120	FL03AL2	FL04AL2	FL06AL2	2	
 Gradone con Toro	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	60x60	FL03G6R	FL04G6R	FL06G6R	3	
	30x120 cm - 11 ^{7/8} "x47 ^{1/4} "	60x120	FL03G5R	FL04G5R	FL06G5R	2	
 Gradone Angolare con Toro DX e SX	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	60x60	DX	FL03D6R	FL04D6R	FL06D6R	3
			SX	FL03S6R	FL04S6R	FL06S6R	3
	30x120 cm - 11 ^{7/8} "x47 ^{1/4} "	60x120	DX	FL03D5R	FL04D5R	FL06D5R	2
			SX	FL03S5R	FL04S5R	FL06S5R	2
 Angolare Interno con Toro 45°	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	2 pz	60x60	FL03AI6R	FL04AI6R	FL06AI6R	1 set
	30x120 cm - 11 ^{7/8} "x47 ^{1/4} "	2 pz	60x120	FL03AI5R	FL04AI5R	FL06AI5R	1 set
 Angolare Esterno con Toro 45°	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	2 pz	60x60	FL03AE6R	FL04AE6R	FL06AE6R	1 set
	30x120 cm - 11 ^{7/8} "x47 ^{1/4} "	2 pz	60x120	FL03AE5R	FL04AE5R	FL06AE5R	1 set
 Angolare Curvilineo con Toro	60x60 cm - 23 ^{1/2} "x23 ^{1/2} " radius 30 cm 11 ^{7/8} "	60x60	FL03AP6R	FL04AP6R	FL06AP6R	1	
 Gradone Costa Lucida	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	60x60	FL03G6S	FL04G6S	FL06G6S	3	
	30x120 cm - 11 ^{7/8} "x47 ^{1/4} "	60x120	FL03G5S	FL04G5S	FL06G5S	2	
 Angolare Interno Costa Lucida 45°	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	2 pz	60x60	FL03AI6S	FL04AI6S	FL06AI6S	1 set
	30x120 cm - 11 ^{7/8} "x47 ^{1/4} "	2 pz	60x120	FL03AI5S	FL04AI5S	FL06AI5S	1 set
 Angolare Esterno Costa Lucida 45°	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	2 pz	60x60	FL03AE6S	FL04AE6S	FL06AE6S	1 set
	30x120 cm - 11 ^{7/8} "x47 ^{1/4} "	2 pz	60x120	FL03AE5S	FL04AE5S	FL06AE5S	1 set

	DIMENSIONE PEZZO ITEM SIZE	FONDI ABBINATI MATCHING REGULAR TILES	FLAX	TAUPE	GREY	PCS BOX	
 Angolare Curvilineo Costa Lucida	60x60 cm - 23 ^{1/2} "x23 ^{1/2} " radius 30 cm 11 ^{7/8} "	60x60	FL03AP6S	FL04AP6S	FL06AP6S	1	
 Canalina	8x14x60 cm - 3 ^{1/8} "x5 ^{1/2} "x23 ^{1/2} "	60x60 / 60x120	FL03CA6	FL04CA6	FL06CA6	2	
 Canalina Angolare	8x14x60 cm - 3 ^{1/8} "x5 ^{1/2} "x23 ^{1/2} "	2 pz	60x60 / 60x120	FL03CAA6	FL04CAA6	FL06CAA6	1 set
 Canalina a Bordo Chiuso	8x14x60 cm - 3 ^{1/8} "x5 ^{1/2} "x23 ^{1/2} "	60x60 / 60x120	FL03CAC6	FL04CAC6	FL06CAC6	1	
 Griglia	14x60 cm - 5 ^{1/2} "x23 ^{1/2} "	60x60 / 60x120	FL03GG6	FL04GG6	FL06GG6	2	
 Griglia Angolare	14x60 cm - 5 ^{1/2} "x23 ^{1/2} "	2 pz	60x60 / 60x120	FL03GGA6	FL04GGA6	FL06GGA6	1 set
 Elemento a L	60x60x6,5 cm - 23 ^{1/2} "x23 ^{1/2} "x2 ^{5/8} "	60x60	FL03L682A	FL04L682A	FL06L682A	1	
	60x60x14 cm - 23 ^{1/2} "x23 ^{1/2} "x5 ^{1/2} "	60x60	FL03L682B	FL04L682B	FL06L682B	1	
 Elemento a L Lato 120	60x120x6,5 cm - 23 ^{1/2} "x47 ^{1/4} "x2 ^{5/8} "	60x120	FL03LBA2A	FL04LBA2A	FL06LBA2A	1	
	60x120x14 cm - 23 ^{1/2} "x47 ^{1/4} "x5 ^{1/2} "	60x120	FL03LBA2B	FL04LBA2B	FL06LBA2B	1	
 Elemento a L Lato 60	60x120x6,5 cm - 23 ^{1/2} "x47 ^{1/4} "x2 ^{5/8} "	60x120	FL03LBA2A6	FL04LBA2A6	FL06LBA2A6	1	
	60x120x14 cm - 23 ^{1/2} "x47 ^{1/4} "x5 ^{1/2} "	60x120	FL03LBA2B6	FL04LBA2B6	FL06LBA2B6	1	
 Elemento L Angolare	60x60x6,5 cm - 23 ^{1/2} "x23 ^{1/2} "x2 ^{5/8} "	60x60	FL03L682AA	FL04L682AA	FL06L682AA	1	
	60x60x14 cm - 23 ^{1/2} "x23 ^{1/2} "x5 ^{1/2} "	60x60	FL03L682BA	FL04L682BA	FL06L682BA	1	
 Elemento L Angolare DX e SX	60x120x6,5 cm - 23 ^{1/2} "x47 ^{1/4} "x2 ^{5/8} "	60x120	DX	FL03LBA2AD	FL04LBA2AD	FL06LBA2AD	1
			SX	FL03LBA2AS	FL04LBA2AS	FL06LBA2AS	1
	60x120x14 cm - 23 ^{1/2} "x47 ^{1/4} "x5 ^{1/2} "	60x120	DX	FL03LBA2BD	FL04LBA2BD	FL06LBA2BD	1
			SX	FL03LBA2BS	FL04LBA2BS	FL06LBA2BS	1
 Bordo L	15x15x60 cm - 6"x6"x23 ^{1/2} "	60x60	FL03BR	FL04BR	FL06BR	2	
	20x20x120 cm - 8"x8"x47 ^{1/4} "	60x120	FL03BR2	FL04BR2	FL06BR2	2	
 Gocciolatoio Costa Lucida	30x60 cm - 11 ^{7/8} "x23 ^{1/2} "	60x60	FL03SG6	FL04SG6	FL06SG6	3	
	20x120 cm - 8"x47 ^{1/4} "	60x120	FL03SG2	FL04SG2	FL06SG2	2	

I Cementi Imballi / Packing

				PCS / BOX	M ² / BOX	KG / BOX	BOX / PALLET	M ² / PALLET	KG / PALLET
	120x120 cm - 47 ^{1/4} "x47 ^{1/4} "	Thick 9 mm	RealUp + StrideUp	PZ / PCS 2	M ² 2,88	KG 59,15	PZ / PCS 18	M ² 51,84	KG 1.084,79
	60x120 cm - 23 ^{1/2} "x47 ^{1/4} "	Thick 9 mm	RealUp + StrideUp	PZ / PCS 2	M ² 1,44	KG 29,49	PZ / PCS 36	M ² 51,84	KG 1.081,67
	80x80 cm - 31 ^{1/2} "x31 ^{1/2} "	Thick 9 mm	RealUp + StrideUp	PZ / PCS 2	M ² 1,28	KG 25,16	PZ / PCS 42	M ² 53,76	KG 1.076,93
	60x60 cm - 23 ^{1/2} "x23 ^{1/2} "	Thick 9 mm	RealUp + StrideUp	PZ / PCS 4	M ² 1,44	KG 28,23	PZ / PCS 30	M ² 43,20	KG 867,02
	30x60 cm - 11 ^{3/8} "x23 ^{1/2} "	Thick 9 mm	RealUp + StrideUp	PZ / PCS 8	M ² 1,44	KG 28,34	PZ / PCS 32	M ² 46,08	KG 926,94
	Ciottolo 120x120 cm - 47 ^{1/4} "x47 ^{1/4} "	Thick 9 mm	RealUp + StrideUp	PZ / PCS 2	M ² 2,88	KG 58,98	PZ / PCS 18	M ² 51,84	KG 1.081,67
	Ciottolo 60x120 cm - 23 ^{1/2} "x47 ^{1/4} "	Thick 9 mm	RealUp + StrideUp	PZ / PCS 2	M ² 1,44	KG 29,51	PZ / PCS 36	M ² 51,84	KG 1.082,36
	Listello Tratto 20x120 cm - 8"x47 ^{1/4} "	Thick 6 mm	Naturale	PZ / PCS 6	M ² 1,44	KG 19,48	PZ / PCS 30	M ² 43,20	KG 604,46
	Mosaico 30x30 cm - 11 ^{3/8} "x11 ^{3/8} "	Thick 9 mm	RealUp + StrideUp	PZ / PCS 12	M ² 1,08	KG 20,62	PZ / PCS 30	M ² 32,40	KG 638,60
	Muretto 30x30 cm - 11 ^{3/8} "x11 ^{3/8} "	Thick 9 mm	RealUp + StrideUp	PZ / PCS 6	M ² 0,54	KG 10,45	PZ / PCS 60	M ² 32,40	KG 647,48
	Muretto 30x30 cm - 11 ^{3/8} "x11 ^{3/8} "	Thick 6 mm	Naturale	PZ / PCS 6	M ² 0,54	KG 7,81	PZ / PCS 60	M ² 32,40	KG 489,08

Imballi Mega / Mega Packing

	DESCRIZIONE IMBALLO PACKAGING DESCRIPTION	MQ / KG LASTRA / SLAB	IMBALLO PIENO FULL PACKAGING	IMBALLO VUOTO EMPTY PACKAGING
	CASSA / CRATE L 145 x P 292 x H 35	MQ 3,36	MQ 67,20	
		KG 48,60	KG 1062,00	KG 100,00
	CAVALLETTO / A-FRAME L 75 x P 285 x H 153	MQ 3,36	MQ 147,84	
		KG 48,60	KG 2318,40	KG 180,00
	CASSA LIGHT / LIGHT CRATE L 145 x P 292 x H 27	MQ 3,36	MQ 30,24	
		KG 48,60	KG 527,40	KG 90,00
			PZ 1 / 9	

Stucchi Consigliati / Recommended Grouts

Colori Colors											
Kerakoll	KK4	KK64	KK79	KK81	KK79	KK69	KK158	KK68	KK8	KK10	KK12
Mapei	111	111	80% 111 + 20% 100	50% 110 + 50% 134	111	60% 110 + 40% 113	30% 100 + 70% 114	60% 100 + 40% 112	40% 100 + 60% 112	50% 110 + 50% 134	30% 100 + 70% 114

TECHNICAL SPECIFICATIONS PORCELAIN STONEWARE

CONFORME A NORME / CONFORMING TO STANDARDS / GEMÄSS DEN NORMEN / CONFORMES AUX NORMES
EN 14411 ISO 13006 APPENDICE G GRUPPO BIa UGL CON Ev ≤ 0,5%

CARATTERISTICA TECNICA PHYSICAL PROPERTIES TECHNISCHE DATEN CARACTERISTIQUE TECHNIQUE	METODICA DI PROVA TESTING METHOD PRÜFVERFAHREN NORME D'ESSAIS	RIFERIMENTO NORMA REFERENCE STANDARD RÉFÉRENCE NORME STANDARDWERT	VALORE PRODOTTO PRODUCT VALUES PRODUKT WERTE VALEUR PRODUIT
		7cm ≤ N < 15 cm N ≥ 15 cm (mm) (%) (mm)	
		Lunghezza e larghezza - Length and width - Länge und Breite Longueur et largeur	±0.9 ±0.6 ±2.0
		Spessore - Thickness - Stärke - Epaisseur	±0.5 ±5.0 ±0.5
		Rettilineità spigoli - Linearity - Kantengeradheit - Rectitude des arêtes	±0.75 ±0.5 ±1.5
Dimensioni Sizes Abmessungen Dimensions	EN ISO 10545-2	Ortogonalità - Wedging - Rechtwinkligkeit - Orthogonalité	±0.75 ±0.5 ±2.0
		Planarità - Warpage - Ebenflächigkeit - Planéité	±0.75 ±0.5 ±2.0
		Aspetto: percentuale di piastrelle accettabili nel lotto - Appearance: percentage of acceptable tiles, per lot oberflächenbeschaffenheit: prozentsatz der fliesen, die den geforderten eigenschaften entsprechen - Aspect: pourcentage de carreaux acceptables sur la fourniture totale	95 % min. 95 % min.
Assorbimento d'acqua % - Water absorption % Wasseraufnahme % - Absorption d'eau %	EN ISO 10545-3	Ev ≤ 0,5%	Conforme - Conforming - Erfüllt - Conforme
Resistenza alla flessione - Modulus of rupture Biegezugfestigkeit - Résistance à la flexion	EN ISO 10545-4	Valore medio 35 N/mm2 min.	Conforme - Conforming - Erfüllt - Conforme
Sforzo di rottura - Breakage resistance Bruchlast - Resistance à la rupture	EN ISO 10545-4	sp. > = 7,5 mm: min 1300 N sp. < 7,5 mm: min 700 N	Conforme - Conforming - Erfüllt - Conforme
Resistenza all'abrasione profonda - Deep abrasion resistance Bestimmung des Widerstandes gegen tiefen Verschleib Résistance à l'abrasion	EN ISO 10545-6	175 mm3 max.	Medio - Average - Mittelwert - Moyenne < 150 mm3
Coefficiente di dilatazione termica lineare - Thermal expansion coefficient - Wärmeausdehnung - Coefficient de dilatation thermique linéaire	EN ISO 10545-8	Valore dichiarato - Declared value - Angegebener Wert - Valeur déclaré	6,8 MK-1
Resistenza agli sbalzi termici - Thermal shock resistance - Temperaturwechselbeständigkeit - Résistance aux écarts de température	EN ISO 10545-9	Test superato in accordo con ISO 10545-1 - Pass according to ISO 10545-1 Test ueberstanden nach ISO 10545-1 - Pv en accord avec norme en 10545-1	* Resistente - Resistant Widerstandsfähig - Résistants
Resistenza al gelo - Frost resistance Frostbeständigkeit - Résistance au gel	EN ISO 10545-12	Test superato in accordo con ISO 10545-1 - Pass according to ISO 10545-1 Test ueberstanden nach ISO 10545-1 - Pv en accord avec norme en 10545-1	* Resistente - Resistant Widerstandsfähig - Résistants
Resistenza a basse concentrazioni di acidi e alcali Resistance to low concentrations of acids and alkali - Beständigkeit gegen schwach konzentrierte säuren und laugen - Résistance à des basses concentrations d'acides et bases		Valore dichiarato - Declared value - Angegebener Wert - Valeur déclaré	* Resistente - Resistant Widerstandsfähig - Résistants
Resistenza ad alte concentrazioni di acidi e alcali Resistance to high concentrations of acids and alkali - Beständigkeit gegen stark konzentrierte säuren und laugen - Résistance à des hautes concentrations d'acides et bases	EN ISO 10545-13	Valore dichiarato - Declared value - Angegebener Wert - Valeur déclaré	* Resistente - Resistant Widerstandsfähig - Résistants
Resistenza ai prodotti chimici di uso domesticow e agli additivi per piscina - Resistance to domestic chemicals and additives for swimming pools - Beständigkeit gegen chemische haushaltsreiner und zusatzstoffe für schwimmbäder - Résistance aux prod. chimiques d'usage domestique et additifs pour piscines		UB min.	UA
Resistenza alle macchie di piastrelle non smaltate naturali - Stain resistance of unglazed matte porcelain - Fleckenbe- ständigkeit von unglasierten natur - Fliesen Résistance aux taches des carreaux non emailés naturel	EN ISO 10545-14	Valore dichiarato - Declared value - Angegebener Wert - Valeur déclaré	* Resistente - Resistant Widerstandsfähig - Résistants
		Annex A	Valore disponibile a richiesta Value available upon request Wert auf Anfrage verfügbar Valeur disponible sur demande
Resistenza alla scivolosità Slip resistance Rutschfestigkeit Résistance au dérapage	EN 16165	Annex B	Valore disponibile a richiesta Value available upon request Wert auf Anfrage verfügbar Valeur disponible sur demande
		B.C.R.A. - D.M.236/ 89 ANSI A326.3 D COF	> 0,40 Dry / > 0,40 Wet ≥ 0,42 Wet

* Si raccomanda di consultare Project Department per le indicazioni necessarie al corretto utilizzo.
It's advisable to refer Project Department for all necessary guidelines to a correct use.
Zur korrekten Anwendung wird empfohlen unsere Project Department zu kontaktieren.
Merci de consulter notre Project Department pour les indications a un usage correct.



OUR SHOWROOMS

NEW JERSEY

Dover
Princeton
Wall
West Berlin
Wyckoff

PENNSYLVANIA

Bethlehem
Lancaster
Philadelphia
Warminster

SOUTH CAROLINA

Charleston
Columbia

GEORGIA

Savannah

GARDEN STATE TILE
Together We Can Design For Life

GSTILE.COM    @GARDENSTATETILE1957