

**GARDEN STATE TILE**

Together We Can Design For Life

# ROMA





## WALL & FLOOR

*Roma is a complete ceramic programme  
of floor and wall tiles to encase your  
rooms with a sensation of beauty.*

# MARMO E PIETRA MARBLE & STONE

*Roma lends contemporary appeal to the beauty of marble and stone.  
Six colours and large slabs for a new aesthetic project that is timeless and knows no limits.*



# STATUARIO

PASTA BIANCA  
WHITE BODY



50x120 RT



50x120 RT



25x75



25x75

GRES PORCELLANATO  
PORCELAIN STONEWARE



80x80 RT




60x60 RT




# MY LIVING

*Wall and floor coverings, the pure attraction of Statuario and large size.*





**Wall**  
Roma Statuario  
Roma Filo Statuario  
**Floor**  
Roma Statuario




# SURFACES FOR DECORATION

*Whether it is the three dimensional texture of Filo or the elegant tile, the real decoration is always the material.*





Wall  
Roma Statuario  
Roma Natura  
Statuario Mosaico



*Natura Mosaic, Silver chrome listel and the 25x75 wall covering shape make everything look contemporary.*



# A TIMELESS MATERIAL

*A full range of trim tiles to coordinate all the spaces in the home to perfection. Flooring, step and skirting tiles.*

**Stair**  
Roma Statuario

**Floor**  
Roma Grafite

# SHOP SIMPLY CHIC

*True beauty for contemporary commercial applications.  
True luxury: customization with sophisticated decorations.*



**Wall**  
Roma Statuario

**Floor**  
Roma Righe Statuario Grafite Matt

# GRAFITE

*elegant and profound*

GRES PORCELLANATO  
PORCELAIN STONEWARE



80 x 80 RT



60 x 60 RT

# ELEGANT CONTEMPORARY

*The seduction of  
marble and the  
reliability of porcelain  
stoneware: ideal  
partners for exclusive  
spaces.*

**Wall**

Roma Statuario

**Floor**

Roma Grafite

# TRAVERTINO

*rich and natural*

PASTA BIANCA  
WHITE BODY




25 x 75    25 x 75


GRES PORCELLANATO  
PORCELAIN STONEWARE



80 x 80 RT    60 x 60 RT



**Wall**  
Roma Travertino  
Roma Filo Travertino  
Roma Natura Travertino Mosaico  
**Floor**  
Roma Travertino Matt



# FASCINO NATURALE NATURAL ATTRACTION

*Natural veins encasing the space. In the shower, the Natura mosaic and the versatile material express attractive architectural solutions.*



# GLAM GYM

*Sophisticated atmosphere,  
natural sensations.*

SAUNA

**Wall**  
Roma Travertino

**Floor**  
Roma Travertino

# PIETRA

*elegant and inviting*

PASTA BIANCA  
WHITE BODY



50 x 120 RT



50 x 120 RT



25 x 75



25 x 75


GRES PORCELLANATO  
PORCELAIN STONEWARE



80 x 80 RT



60 x 60 RT




**Wall**  
Roma Pietra  
Roma Filo Pietra  
Roma Pietra Mosaico  
**Floor**  
Roma Pietra Matt





*The soft and changing shimmering light decorates the material with a mood that is perfectly coordinated.*






**Wall**  
Roma Pietra  
Roma Classic Pietra  
Roma Classic Pietra Listello  
**Floor**  
Roma Pietra Matt



## NEW CLASSIC



*The three dimensional elegance of the Classic decoration on the grainy warmth of Pietra: a new classic whose contemporary mood is astonishing.*

*Pietra and Imperiale a sophisticated combination emphasised by the infinite design possibilities of Roma.*



**Wall**  
Roma Pietra  
Roma Imperiale  
Roma Natura Imperiale Mosaico

**Floor**  
Roma Imperiale



# IMPERIALE

*sophisticated and unusual*

PASTA BIANCA  
WHITE BODY



50x120 RT



50x120 RT



25x75



25x75

GRES PORCELLANATO  
PORCELAIN STONEWARE



80x80 RT



60x60 RT



**Wall**  
Roma Imperiale  
Roma Filo Pietra

**Floor**  
Roma Imperiale



*HF*  
LUXURY RESORT  
SPA

# WELCOME STYLE

*Roma, the ideal collection to welcome your guests in perfect style.*



**Wall**  
Roma Filo Imperiale  
**Floor**  
Roma Imperiale



**Wall**  
Roma Imperiale  
Roma Filo Imperiale  
**Floor**  
Roma Imperiale Matt



## ENVELOPING BEAUTY

*Each slab is unique. A natural wonder made up of different and spontaneous veins.*




*Here the material is in the spotlight in decorative folds and an essential element for a perfect top for a washbasin.*



# CALACATTA

*warm and precious*

PASTA BIANCA  
WHITE BODY



50x120 RT



50x120 RT



25x75



25x75

GRES PORCELLANATO  
PORCELAIN STONEWARE




80x80 RT




60x60 RT



**Wall**  
Roma Calacatta  
**Floor**  
Roma Calacatta






# Elegant warmth


*80x160, the wonder of marble,  
the practical features of porcelain  
stoneware.*

Elegant and decò: Roma has all the decorative elements you need to create the style you want.




**Wall**  
Roma Calacatta Alzata  
Roma Calacatta Matita  
Roma Greca Calacatta Listello  
Roma Calacatta  
Roma Calacatta London

**Floor**  
Roma Calacatta




Wall  
Roma Calacatta  
Roma Filo Calacatta





# REAL INTARSIA


*Delicate decorations  
emerge from the  
engraved material.*



DOES NOT BURN

SAFE FOR HEALTH

MAXIMUM HYGIENE




RESISTANT TO EVERYTHING

VERSATILE

ECO-FRIENDLY

# Porcelain Stoneware special trims



## Destination of use

### MEDIUM WALKING

commercial environments with medium foot traffic: with non-direct outside access or access protected with doormats, such as restaurants, bars, shops, hotels, libraries, business lounges, banks, except for areas with obligatory passages. Also ideal for residential settings




# Wall tiles

## Rectified white body tiles, jointless walls

We create tiles and cut the edges. These "sharp-edge" tiles can be laid without joints, for perfectly smooth, continuous surfaces, with the joints barely noticeable. In addition to the aesthetic advantages, these tiles prevent dirt from gathering and are thus easy to clean.


**WE RECTIFY THE TILES WITH A SLIGHTLY  
DIAGONAL CUT, ALLOWING FOR FLUSH LAYING:**

- laying without cracks
- makes it easier for the grout to penetrate




# PEZZI SPECIALI / TRIMS

WALL TILES



1 x 15 cm



1 x 30,5 cm


spigolo



1 x 1 cm  
angolo esterno spigolo



Roma Pietra Silk 120x278 RT V2




Roma Carrara Silk 120x278 RT V2



Roma Calacatta Silk 120x278 RT V3

These items feature a significant variability of veining effects on the slabs.



	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
	1 Box	3,336	1	47,94	18









Roma Statuario Matt V3



Roma Grafite Matt V2



Roma Calacatta Matt V3









Roma Pietra Matt V2



Roma Imperiale Matt V2



Roma Travertino Matt V2



	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
①	1 Box	1,280	2	24,90	48
②	1 Box	1,080	3	21,70	40
③	1 Box	1,260	7	25,00	40

**Classification UPEC**  
Seul le site du CSTB fait foi, pour vérifier les classements indiqués, merci de consulter le site <https://evaluation.cstb.fr/>




Roma Righe Statuario Grafite  
Matt Inserto 60x60 RT ①




Roma Righe Calacatta Imperiale  
Matt Inserto 60x60 RT ①



Roma Righe Matt  
Inserto



fMGU Roma Greca Statuario Grafite  
Mosaico Mix 2 20x40 ②



fMAQ Roma Angolo Greca Statuario Grafite  
Mosaico 20x20 ③



MOSAICO

MOSAICO ANTICATO



Roma Round Statuario  
Mosaico\*\*\*  
29,5x32,5 ④



Roma Statuario  
Macromosaico Anticato  
30x30 ⑤



Roma Statuario  
Micromosaico Anticato\*  
30x30 ⑤



Roma Brick Statuario  
Mosaico Anticato\*\*  
30x30 ⑤



Roma Round Calacatta  
Mosaico\*\*\*  
29,5x32,5 ④



Roma Calacatta  
Macromosaico Anticato  
30x30 ⑤




Roma Calacatta  
Micromosaico Anticato\*  
30x30 ⑤




Roma Brick Calacatta  
Mosaico Anticato\*\*  
30x30 ⑤



Roma Round Imperiale  
Mosaico\*\*\*  
29,5x32,5 ④



Roma Imperiale  
Macromosaico Anticato  
30x30 ⑤



Roma Imperiale  
Micromosaico Anticato\*  
30x30 ⑤



Roma Brick Imperiale  
Mosaico Anticato\*\*  
30x30 ⑤



Roma Round Travertino  
Mosaico\*\*\*  
29,5x32,5 ④



Roma Travertino  
Macromosaico Anticato  
30x30 ⑤



Roma Travertino  
Micromosaico Anticato\*  
30x30 ⑤



Roma Brick Travertino  
Mosaico Anticato\*\*  
30x30 ⑤



Roma Round Pietra  
Mosaico\*\*\*  
29,5x32,5 ④




Roma Pietra  
Macromosaico Anticato  
30x30 ⑤




Roma Pietra  
Micromosaico Anticato\*  
30x30 ⑤




Roma Brick Pietra  
Mosaico Anticato\*\*  
30x30 ⑤



Roma Round Grafite  
Mosaico\*\*\*  
29,5x32,5 ④




Roma Grafite  
Macromosaico Anticato  
30x30 ⑤



Roma Grafite  
Micromosaico Anticato\*  
30x30 ⑤



Roma Brick Grafite  
Mosaico Anticato\*\*  
30x30 ⑤



	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
①	1 Box	-	1	8,00	-
②	1 Box	-	2 MIX	3,20	-
③	1 Box	-	4	3,20	-
④	1 Box	0,575	6	9,90	72
⑤	1 Box	0,540	6	10,20	60

	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
①	1 Box	ML 6,40	8	8,24	-
②	1 Box	ML 4,80	8	6,70	-
③	1 Box	-	8	-	-
④	1 Box	-	2	-	-

TRIMS

ROMA	STATUARIO	GRAFITE	CALACATTA	PIETRA	IMPERIALE	TRAVERTINO
 Battiscopa 7,2x80 RT 3"x31 <sup>1/2</sup> "	 Matt ①					
 Battiscopa 7,2x60 RT 3"x23 <sup>5/8</sup> "	 Matt ②					
 Battiscopa Sagomato DX 7,2x30 RT 3"x11 <sup>3/4</sup> "	 Matt ③					
 Battiscopa Sagomato SX 7,2x30 RT 3"x11 <sup>3/4</sup> "	 Matt ③					
 Scalino 33x80 RT 13"x31 <sup>1/2</sup> "	 Matt ④					
 Scalino 33x60 RT 13"x23 <sup>5/8</sup> "	 Matt ④					
 Scalino Angolare 33x33 RT 13"x13"	 Matt ④					





Roma Statuario 50x120  
RT



V3  
Roma Filo Statuario 50x120  
RT



Roma Calacatta 50x120  
RT



V3  
Roma Filo Calacatta 50x120  
RT



Roma Imperiale 50x120  
RT



V2  
Roma Filo Imperiale 50x120  
RT



Roma Pietra 50x120  
RT



V2  
Roma Filo Pietra 50x120  
RT

N.B. FOR ON-SITE LAYING OF THE ITEMS FILO: make sure the three-dimensional patterns of the tiles match. The arrows on the back do not indicate the laying direction.



Roma 25 Statuario  
London 5,5x25


A.E. London  
1,5x5,5

A.I. London  
1,5x5,5



Roma 25 Statuario  
Matita 2x25

A.E. Matita  
2x2



Roma 25 Statuario  
Spigolo 1x25

Roma 25 Statuario  
AE Spigolo 1x1



Roma 25 Calacatta  
London 5,5x25

A.E. London  
1,5x5,5

A.I. London  
1,5x5,5



Roma 25 Calacatta  
Matita 2x25

A.E. Matita  
2x2



Roma 25 Calacatta  
Spigolo 1x25

Roma 25 Calacatta  
AE Spigolo 1x1



London A.E. London



London A.I. London

A.E. Matita  
2x2

A.I. Matita  
2x2



Roma 25 Imperiale  
Spigolo 1x25

Roma Imperiale  
AE Spigolo 1x1



Roma 25 Travertino  
Spigolo 1x25

Roma 25 Travertino  
AE Spigolo 1x1

	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
①	1 Box	1,800	3	31,50	30
②	1 Box	1,800	3	31,80	30
③	1 Box	-	5	-	-
④	1 Box	-	4	-	-



Wall: Roma Calacatta & Fold Calacatta - Floor: Roma Calacatta Micromosaico Anticato

# Roma Wall Tiles

WALL TILES

25x75  
9 7/8" x 29 1/2"

SPESSORE 8,5 mm  
THICKNESS 8,5 mm

SPESSORE 3D 10,5 mm  
3D THICKNESS 10,5 mm



Roma Statuario 25x75 V3 (1)

Roma 25 Statuario Spigolo 1x25 (3)

Roma 25 Statuario AE Spigolo 1x1 (4)



Roma Filo Statuario 25x75 V3 (2)



Roma Calacatta 25x75 V3 (1)

Roma 25 Calacatta Spigolo 1x25 (3)

Roma 25 Calacatta AE Spigolo 1x1 (4)



Roma Filo Calacatta 25x75 V3 (2)



Roma Imperiale 25x75 V2 (1)

Roma 25 Imperiale Spigolo 1x25 (3)

Roma 25 Imperiale AE Spigolo 1x1 (4)



Roma Filo Imperiale 25x75 V2 (2)



Roma Travertino 25x75 V2 (1)

Roma 25 Travertino Spigolo 1x25 (3)

Roma 25 Travertino AE Spigolo 1x1 (4)



Roma Filo Travertino 25x75 V2 (2)




Roma Pietra 25x75 V2 (1)

Roma 25 Pietra Spigolo 1x25 (3)

Roma 25 Pietra AE Spigolo 1x1 (4)



Roma Filo Pietra 25x75 V2 (2)




Roma 25 Statuario London 5,5x25 (3)



Roma 25 Statuario Raccordo 2x25 (3)



Roma 25 Calacatta Raccordo 2x25 (3)



Roma 25 Calacatta London 5,5x25 (3)



Roma 25 Statuario A.E. Alzata 2x17,5 (3)



Roma 25 Calacatta A.E. Alzata 2x17,5 (3)

A.E. London 1,5x5,5 (4)

A.I. London 1,5x5,5 (4)

A.I. London 1,5x5,5 (4)

A.E. London 1,5x5,5 (4)

Roma 25 Statuario A.I. Alzata 2X17,5 (3)

Roma 25 Calacatta A.I. Alzata 2X17,5 (3)

Roma 25 Statuario Matita 2x25 (3)

Roma 25 Statuario Alzata 17,5x25 (4)

Roma 25 Calacatta Alzata 17,5x25 (4)

Roma 25 Calacatta Matita 2x25 (3)

A.E. Matita 2x2 (4)

Roma 25 Statuario Matita 2x25 (3)

Roma 25 Statuario Alzata 17,5x25 (4)

Roma 25 Calacatta Alzata 17,5x25 (4)

Roma 25 Calacatta Matita 2x25 (3)

A.E. Matita 2x2 (4)

A.E. Matita 2x2 (4)

	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
(1)	1 Box	1,500	8	22,40	42
(2)	1 Box	1,3125	7	19,95	42
(3)	1 Box	-	5	-	-
(4)	1 Box	-	4	-	-
(5)	1 Box	-	4	12,10	-
(6)	1 Box	-	5	1,65	-
(7)	1 Box	0,558	6	8,20	84
(8)	1 Box	0,558	6	8,20	60

**WALIPEC**  
Classification WaliPEC  
Seul le site du CSTB fait foi, pour vérifier les classements indiqués, merci de consulter le site <https://evaluation.cstb.fr/>



Roma Classic Statuario Inserto 25x75 (5)



Roma Greca Statuario Listello 8x25 (6)



Roma Classic Statuario Listello 8x25 (6)



Roma Classic Calacatta Inserto 25x75 (5)



Roma Greca Calacatta Listello 8x25 (6)



Roma Classic Calacatta Listello 8x25 (6)



Roma Classic Pietra Inserto 25x75 (5)



Roma Greca Pietra Listello 8x25 (6)




Roma Raku Listello 6x25 (6)




Roma Classic Pietra Listello 8x25 (6)


## MOSAICO PASTA BIANCA Spessore 8,5 mm - Thickness 8,5 mm



Roma Statuario Mosaico 30,5x30,5\* (7)




Roma Natura Statuario Mosaico 30,5x30,5\*\* (8)




Roma Calacatta Mosaico 30,5x30,5\* (7)



Roma Natura Calacatta Mosaico 30,5x30,5\*\* (8)



Roma Imperiale Mosaico 30,5x30,5\* (7)



Roma Natura Imperiale Mosaico 30,5x30,5\*\* (8)



Roma Travertino Mosaico 30,5x30,5\* (7)



Roma Natura Travertino Mosaico 30,5x30,5\*\* (8)



Roma Pietra Mosaico 30,5x30,5\* (7)







Roma Natura Pietra Mosaico 30,5x30,5\*\* (8)



2,3 x 2,3 cm \*



2,8 x 2,8 cm \*\*



# TEST

## Gres Porcellanato - Standard ISO 13006 (EN 14411) Annex G Group BIa, E<sub>v</sub> ≤ 0,5%

Porcelain. / Grès cerame. / Feinsteinzeug. / Gres porcelánico. / Керамогранит.

CARATTERISTICHE TECNICHE TECHNICAL SPECIFICATIONS CARACTERISTIQUES TECHNIQUES TECHNISCHE EIGENSCHAFTEN CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ		NORME STANDARDS NORMES NORMEN NORMAS НОРМЫ	VALORE PRESCRITTO VALUES REQUIRED VALEUR PRESCRIPTE NORMVORGABE VALOR PRESCRITO ЗАДАННОЕ ЗНАЧЕНИЕ EN 14411 - ISO 13006 BIa (UGL e GL)	FAP - VALORE MEDIO* AVERAGE RATING VALEUR MOYENNE DURCHSCHNITTSWERT VALOR MEDIO СРЕДНЕЕ ЗНАЧЕНИЕ BIa UGL		
			NON RETTIFICATO - NOT RECTIFIED	RETTIFICATO - RECTIFIED	MATT	
DIMENSIONI SIZES DIMENSIONS GRÖSSEN DIMENSIONES РАЗМЕРЫ		<b>Lunghezza e larghezza</b> Length and width / Dimensions des côtés / Seitenlänge / Largo y ancho / Длина и ширина	± 0,6%, max 2 mm	± 0,3%, max 1 mm	<b>Conforme</b> In accordance	
		<b>Spessore</b> Thickness / Epaisseur / Stärke / Espesor / Толщина	± 5%, max 0,5 mm	± 5%, max 0,5 mm	<b>Conforme</b> In accordance	
		<b>Ortogonalità **</b> Wedging / Orthogonalité / Rechtwinkligkeit / Ortogonalidad / Ортогональность	± 0,5%, max 2 mm	± 0,3%, max 1,5 mm	<b>Conforme</b> In accordance	
		<b>Planarità</b> Flatness / Planéité / Oberflächenqualität / Planicidad / Плоскостность	± 0,5%, max 2 mm	± 0,4%, max 1,8 mm	<b>Conforme</b> In accordance	
STRUTTURA STRUCTURE STRUCTURE STRUKTUR ESTRUCTURA СТРУКТУРА		<b>Assorbimento d'acqua - valore medio %</b> Water absorption - average value % / Absorption d'eau - valeur moyenne % / Wasseraufnahme - Durchschnittswert % / Absorción de agua - valor medio % / Водопоглощение Среднее значение %	ISO 10545-3 ASTM C373	≤ 0,5%	<b>Conforme</b> In accordance	
		<b>Sforzo di rottura</b> Breaking strength / Force de rupture / Bruchlast / Esfuerzo di ruptura / Усилие на излом	ISO 10545-4	S ≥ 1300 N	S ≥ 2000 N	<b>Conforme</b> In accordance
		<b>Resistenza alla flessione</b> Bending strength / Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Прочность при изгибе	ISO 10545-6	R ≥ 35 N/mm <sup>2</sup>		<b>Conforme</b> In accordance
		<b>Abrasion profonda</b> Deep abrasion / Abrasion profonde / Tiefenabrieb / Abrasión profunda / Глубокое истирание	ISO 10545-7	≤ 175mm <sup>3</sup>	≤ 140mm <sup>3</sup>	
SBALZI TERMICI THERMAL SHOCK ECARTS DE TEMPERATURE TEMPERATURWECHSEL CHOQUES TERMICOS ТЕМПЕРАТУРНЫЕ ПЕРЕПАДЫ		<b>Coefficiente di dilatazione termica lineare</b> Coefficient of thermal linear expansion / Coefficient de dilatation thermique linear / Wärmeausdehnungskoeffizient / Coeficiente de dilatación termica linear / Коэффициент теплового линейного расширения	ISO 10545-8	Valore dichiarato Declared Value / Valeur déclarée / Angegebener Wert / Valor decla / Объявленная ценность	≤ 7 МК <sup>-1</sup>	
		<b>Resistenza agli sbalzi termici</b> Thermal shock resistance / Resistance aux variations thermiques / Temperaturwechselbeständigkeit / Resistencia a las diferencias de temperatura / Сопротивление температурным перепадам	ISO 10545-9	<b>Resistente</b> Resistant	<b>Resistente</b> Resistant	<b>Resistente</b> Resistant
		<b>Resistenza al gelo</b> Resistance to frost / Résistance au gel / Frostbeständigkeit / Resistencia al hielo / Морозостойчивость	ISO 10545-12	<b>Resistente</b> Resistant	<b>Resistente</b> Resistant	<b>Resistente</b> Resistant
SICUREZZA SAFETY SÉCURITÉ SICHERHEIT SEGURIDAD БЕЗОПАСНОСТЬ		<b>Coefficiente di attrito dinamico</b> Dynamic friction coefficient / Coefficient de frottement dynamique / Dynamischer Reibungskoeffizient / Coeficiente de fricción dinámica / Динамический коэффициент трения	DCOF BOT 3000	Slip resistant ≥ 0,42	<b>Conforme</b> In accordance	
		<b>Coefficiente di attrito dinamico</b> Dynamic friction coefficient / Coefficient de frottement dynamique / Dynamischer Reibungskoeffizient / Coeficiente de fricción dinámica / Динамический коэффициент трения	DIN 51130	<b>In funzione dell'ambiente o della zona di lavoro.</b> According to the space or the working area / Selon le lieu concerné ou la zone de travail / Je nach Raum oder Arbeitszone / Según el ambiente o de la zona de trabajo / В зависимости от среды или рабочей зоны	R9	
		<b>Classificazione antiscivolo</b> Non-slip classification / Classification antiderapant / Bewertungsgruppe trittsicherheit / Clasificación antidslizante / Классификация противоскольжения	DIN 51097	<b>In funzione delle zone bagnate soggette a calpestio a piedi nudi.</b> According to the wet area to be stepped on barefoot / Selon le type de surface mouillée parcourue pieds nus. / Je nach Nassbereich die barfuß zu betreten sind / Según de la zona mojada que se pisa con los pies desnudos / С учётом увлажняемых зон, предназначенных для ходьбы босиком		
RESISTENZA CHIMICA CHEMICAL RESISTANCE RÉSISTANCE AUX ATTAQUES CHIMIQUES CHEMIKALIENFESTIGKEIT RESISTENCIA A LOS PRODUCTOS QUÍMICOS ХИМИЧЕСКАЯ СТОЙКОСТЬ		<b>Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina</b> Resistance to household chemicals and swimming pool salts / Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscines / Beständigkeit gegen Haushaltchemikalien und Badewasserzusätze / Resistencia a los productos químicos de uso domestico o productos para la piscina / Сопротивляемость химическим средствам домашнего применения и добавкам для бассейна.	ISO 10545-13	MINIMUM B	<b>Conforme</b> In accordance	
		<b>Resistenza a basse concentrazioni di acidi ed alcali</b> Resistance to low concentrations of acids and alkalis / Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen / Resistencia a concentración baja de acidos y álcali / Сопротивляемость кислотам и щелочам низкой концентрации			LB Min.	
		<b>Resistenza alle macchie</b> Stain resistance / Résistance aux taches / Baständigkeit gegen Fleckenbildung / Resistencia a las manchas / Стойкость к загрязнению	ISO 10545-14	<b>UGL: Metodo di prova disponibile / Test method available / Méthode d'essai disponible / Verfügbare Prüfmethode / Método de prueba disponible / Доступный метод испытания</b> <b>GL: Minimum 3</b>		5

Average rating of tests conducted during the last 24 months. For oblong tiles with L ≥ 60 cm and ratio length/width L/W ≥ 3, measurement of rectangularity only on short edges

# TEST

## Wall Tiles - Standard ISO 13006 (EN 14411) Annex L Group BIII, E<sub>v</sub> > 10%

Pasta Bianca. / White body. / Weißscherbiger. / Pâte blanche. / Pasta blanca. / Белый глины.

CARATTERISTICHE TECNICHE TECHNICAL SPECIFICATIONS CARACTERISTIQUES TECHNIQUES TECHNISCHE EIGENSCHAFTEN CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ		NORME STANDARDS NORMES NORMEN NORMAS НОРМЫ	VALORE PRESCRITTO VALUES REQUIRED VALEUR PRESCRIPTE NORMVORGABE VALOR PRESCRITO ЗАДАННОЕ ЗНАЧЕНИЕ EN 14411 - ISO 13006 BIII (GL)	VALORE MEDIO FAP* AVERAGE FAP RATING VALEUR MOYENNE FAP DURCHSCHNITTSWERT FAP VALOR MEDIO FAP СРЕДНЕЕ ЗНАЧЕНИЕ FAP BIII (GL)		
			NON RETTIFICATO - NOT RECTIFIED	RETTIFICATO - RECTIFIED	TUTTI I FORMATI - ALL SIZES	
DIMENSIONI SIZES DIMENSIONS GRÖSSEN DIMENSIONES РАЗМЕРЫ		<b>Lunghezza e larghezza</b> Length and width / Dimensions des côtés / Seitenlänge / Largo y ancho / Длина и ширина	± 0,6%, max 2 mm	± 0,3%, max 1 mm	<b>Conforme</b> In accordance	
		<b>Spessore</b> Thickness / Epaisseur / Stärke / Espesor / Толщина	± 10%, max 0,5 mm	± 10%, max 0,5 mm	<b>Conforme</b> In accordance	
		<b>Ortogonalità **</b> Wedging / Orthogonalité / Rechtwinkligkeit / Ortogonalidad / Ортогональность	± 0,5%, max 2 mm	± 0,3%, max 1,5 mm	<b>Conforme</b> In accordance	
		<b>Rettilinearità degli spigoli</b> Straightness of the edges / Equerrage des angles / Kantengeradheit / Rectilinearidad de las aristas / Прямолинейность углов	ISO 10545-2	± 0,5%, max 1,5 mm	± 0,3%, max 0,8 mm	<b>Conforme</b> In accordance
STRUTTURA STRUCTURE STRUCTURE STRUKTUR ESTRUCTURA СТРУКТУРА		<b>Planarità</b> Flatness / Planéité / Oberflächenqualität / Planicidad / Плоскостность	± 0,5%, max 2 mm	± 0,4%, max 1,8 mm	<b>Conforme</b> In accordance	
		<b>Aspetto della superficie % senza difetti nel lotto di prova</b> Quality of the surface Faultless % within the sample lot / Qualité de la surface % sans défauts dans le lot d'essai / Oberflächenqualität % an fehlerfreien Fliesen im Prüfbett / Aspecto de la superficie % sin defectos en el lote de prueba / Вид поверхности % без брака в пробной партии		≥ 95%		<b>Conforme</b> In accordance
		<b>Assorbimento d'acqua - valore medio %</b> Water absorption - average value % / Absorption d'eau - valeur moyenne % / Wasseraufnahme - Durchschnittswert % / Absorción de agua - valor medio % / Водопоглощение Среднее значение %	ISO 10545-3	> 10%		<b>Conforme</b> In accordance
		<b>Sforzo di rottura</b> Breaking strength / Force de rupture / Bruchlast / Esfuerzo di ruptura / Усилие на излом	ISO 10545-4	S ≥ 600 N		<b>Conforme</b> In accordance
SBALZI TERMICI THERMAL SHOCK ECARTS DE TEMPERATURE TEMPERATURWECHSEL CHOQUES TERMICOS ТЕМПЕРАТУРНЫЕ ПЕРЕПАДЫ		<b>Resistenza alla flessione</b> Bending strength / Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Прочность при изгибе		R ≥ 12 N / mm <sup>2</sup>	<b>Conforme</b> In accordance	
		<b>Resistenza agli sbalzi termici</b> Thermal shock resistance / Resistance aux variations thermiques / Temperaturwechselbeständigkeit / Resistencia a las diferencias de temperatura / Сопротивление температурным перепадам	ISO 10545-9	<b>Conforme</b> In accordance		<b>Conforme</b> In accordance
		<b>Resistenza al cavillo</b> Crazing resistance / Résistance aux craquelures / Haarriß-Beständigkeit / Resistencia al cuarteado / Сопротивляемость образованию кракелюров	ISO 10545-11	<b>Conforme</b> In accordance		<b>Conforme</b> In accordance
SUPERFICIE SURFACE SURFACE OBERFLÄCHE SUPERFICIE ПОВЕРХНОСТЬ		<b>Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina</b> Resistance to household chemicals and swimming pool salts / Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscines / Beständigkeit gegen Haushaltchemikalien und Badewasserzusätze / Resistencia a los productos químicos de uso domestico o productos para la piscina / Сопротивляемость химическим средствам домашнего применения и добавкам для бассейна.		B Min.	<b>Conforme</b> In accordance	
		<b>Resistenza a basse concentrazioni di acidi ed alcali</b> Resistance to low concentrations of acids and alkalis / Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen / Resistencia a concentración baja de acidos y álcali / Сопротивляемость кислотам и щелочам низкой концентрации	ISO 10545-13			<b>Metodo di prova disponibile</b> Test method available / Méthode d'essai disponible / Verfügbare Prüfmethode / Método de prueba disponible / Доступный метод испытания
		<b>Resistenza alle macchie</b> Stain resistance / Résistance aux taches / Baständigkeit gegen Fleckenbildung / Resistencia a las manchas / Стойкость к загрязнению	ISO 10545-14	MINIMUM CLASS 3		5



## OUR SHOWROOMS

### NEW JERSEY

Dover  
Princeton  
Wall  
West Berlin  
Wyckoff

### PENNSYLVANIA

Bethlehem  
Lancaster  
Philadelphia  
Warminster

### SOUTH CAROLINA

Charleston  
Columbia

### GEORGIA

Savannah

# GARDEN STATE TILE

Together We Can Design For Life

GSTILE.COM    @GARDENSTATETILE1957