

GARDEN STATE TILE

Together We Can Design For Life

ROMA





WALL & FLOOR

*Roma is a complete ceramic programme
of floor and wall tiles to encase your
rooms with a sensation of beauty.*

MARMO E PIETRA MARBLE & STONE

*Roma lends contemporary appeal to the beauty of marble and stone.
Six colours and large slabs for a new aesthetic project that is timeless and knows no limits.*



STATUARIO

PASTA BIANCA
WHITE BODY



20x48 RT

20x48 RT

10x30

10x30

GRES PORCELLANATO
PORCELAIN STONEWARE



32 x32 RT

24 x24 RT

12 x24 RT




MY LIVING

Wall and floor coverings, the pure attraction of Statuario and large size.





Wall
Roma Statuario
Roma Filo Statuario
Floor
Roma Statuario



SURFACES FOR DECORATION

Whether it is the three dimensional texture of Filo or the elegant tile, the real decoration is always the material.





Wall
Roma Statuario
Roma Natura
Statuario Mosaico



Natura Mosaic, Silver chrome listel and the 25x75 wall covering shape make everything look contemporary.



A TIMELESS MATERIAL

A full range of trim tiles to coordinate all the spaces in the home to perfection. Flooring, step and skirting tiles.

Stair
Roma Statuario

Floor
Roma Grafite

SHOP SIMPLY CHIC

*True beauty for contemporary commercial applications.
True luxury: customization with sophisticated decorations.*



Wall
Roma Statuario
Floor
Roma Righe Statuario Grafite Matt

GRAFITE

elegant and profound

GRES PORCELLANATO
PORCELAIN STONEWARE



32 x 32 RT



24 x 24 RT



12 x 24 RT

ELEGANT CONTEMPORARY

*The seduction of
marble and the
reliability of porcelain
stoneware: ideal
partners for exclusive
spaces.*

Wall

Roma Statuario

Floor

Roma Grafite

TRAVERTINO

rich and natural

PASTA BIANCA
WHITE BODY




10x30 10x30


GRES PORCELLANATO
PORCELAIN STONEWARE



32x32 RT 24 x 24 RT 12 x 24 RT



Wall
Roma Travertino
Roma Filo Travertino
Roma Natura Travertino Mosaico
Floor
Roma Travertino Matt



FASCINO NATURALE NATURAL ATTRACTION

Natural veins encasing the space. In the shower, the Natura mosaic and the versatile material express attractive architectural solutions.



GLAM GYM

*Sophisticated atmosphere,
natural sensations.*

SAUNA

Wall
Roma Travertino

Floor
Roma Travertino

PIETRA

elegant and inviting

PASTA BIANCA
WHITE BODY



20x48 RT



20x48 RT



10x30



10x30

GRES PORCELLANATO
PORCELAIN STONEWARE



32 x 32 RT



24 x 24 RT



12x24 RT




Wall
Roma Pietra
Roma Filo Pietra
Roma Pietra Mosaico
Floor
Roma Pietra Matt





The soft and changing shimmering light decorates the material with a mood that is perfectly coordinated.





Wall
Roma Pietra
Roma Classic Pietra
Roma Classic Pietra Listello
Floor
Roma Pietra Matt



gstile.com

NEW CLASSIC



The three dimensional elegance of the Classic decoration on the grainy warmth of Pietra: a new classic whose contemporary mood is astonishing.

gstile.com

Pietra and Imperiale a sophisticated combination emphasised by the infinite design possibilities of Roma.



Wall
Roma Pietra
Roma Imperiale
Roma Natura Imperiale Mosaico

Floor
Roma Imperiale



IMPERIALE

sophisticated and unusual

PASTA BIANCA
WHITE BODY



20x48 RT 20x48 RT 10x30 10x30

GRES PORCELLANATO
PORCELAIN STONEWARE



32x32 RT 24x24 RT 12x24 RT



Wall
Roma Imperiale
Roma Filo Pietra

Floor
Roma Imperiale



H.F.
LUXURY RESORT
SPA

WELCOME STYLE

Roma, the ideal collection to welcome your guests in perfect style.



Wall
Roma Filo Imperiale
Floor
Roma Imperiale



Wall
Roma Imperiale
Roma Filo Imperiale
Floor
Roma Imperiale Matt



ENVELOPING BEAUTY

Each slab is unique. A natural wonder made up of different and spontaneous veins.



Here the material is in the spotlight in decorative folds and an essential element for a perfect top for a washbasin.



CALACATTA

warm and precious

PASTA BIANCA
WHITE BODY



20x48 RT



20x48 RT




10x30




10x30

GRES PORCELLANATO
PORCELAIN STONEWARE



32 x 32 RT




24 x 24 RT



12 x 24 RT



Wall
Roma Calacatta
Floor
Roma Calacatta






Elegant warmth

80x160, the wonder of marble, the practical features of porcelain stoneware.

Elegant and decò: Roma has all the decorative elements you need to create the style you want.




Wall


Roma Calacatta Alzata
Roma Calacatta Matita
Roma Greca Calacatta Listello
Roma Calacatta
Roma Calacatta London

Floor

Roma Calacatta




Wall
Roma Calacatta
Roma Filo Calacatta





REAL INTARSIA


*Delicate decorations
emerge from the
engraved material.*



DOES NOT BURN

SAFE FOR HEALTH

MAXIMUM HYGIENE




RESISTANT TO EVERYTHING

VERSATILE

ECO-FRIENDLY

Porcelain Stoneware special trims



Destination of use

MEDIUM WALKING

commercial environments with medium foot traffic: with non-direct outside access or access protected with doormats, such as restaurants, bars, shops, hotels, libraries, business lounges, banks, except for areas with obligatory passages. Also ideal for residential settings




Wall tiles

Rectified white body tiles, jointless walls

We create tiles and cut the edges. These "sharp-edge" tiles can be laid without joints, for perfectly smooth, continuous surfaces, with the joints barely noticeable. In addition to the aesthetic advantages, these tiles prevent dirt from gathering and are thus easy to clean.


**WE RECTIFY THE TILES WITH A SLIGHTLY
DIAGONAL CUT, ALLOWING FOR FLUSH LAYING:**

- laying without cracks
- makes it easier for the grout to penetrate



PEZZI SPECIALI / TRIMS

WALL TILES



1 x 15 cm



1 x 30,5 cm


spigolo



1 x 1 cm
angolo esterno spigolo



Roma Pietra Silk 120x278 RT V2




Roma Carrara Silk 120x278 RT V2



Roma Calacatta Silk 120x278 RT V3

These items feature a significant variability of veining effects on the slabs.



	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
	1 Box	3,336	1	47,94	18



Roma Statuario Matt

V3









Roma Grafite Matt

V2



Roma Calacatta Matt

V3



Roma Pietra Matt

V2











Roma Imperiale Matt

V2




Roma Travertino Matt

V2



	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
①	1 Box	1,280	2	24,90	48
②	1 Box	1,080	3	21,70	40
③	1 Box	1,260	7	25,00	40

Classification UPEC
Seul le site du CSTB fait foi, pour vérifier les classements indiqués, merci de consulter le site <https://evaluation.cstb.fr/>



Roma Righe Statuario Grafite
Matt Inserto 60x60 RT ①




Roma Righe Calacatta Imperiale
Matt Inserto 60x60 RT ①




Roma Righe Matt
Inserto

	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
①	1 Box	-	1	8,00	-
②	1 Box	-	2 MIX	3,20	-
③	1 Box	-	4	3,20	-
④	1 Box	0,575	6	9,90	72
⑤	1 Box	0,540	6	10,20	60



fMGU Roma Greca Statuario Grafite
Mosaico Mix 2 20x40 ②



fMAQ Roma Angolo Greca Statuario Grafite
Mosaico 20x20 ③



MOSAICO


MOSAICO ANTICATO



Roma Round Statuario
Mosaico***
29,5x32,5 ④



Roma Statuario
Macromosaico Anticato
30x30 ⑤



Roma Statuario
Micromosaico Anticato*
30x30 ⑤



Roma Brick Statuario
Mosaico Anticato**
30x30 ⑤



Roma Round Calacatta
Mosaico***
29,5x32,5 ④



Roma Calacatta
Macromosaico Anticato
30x30 ⑤




Roma Calacatta
Micromosaico Anticato*
30x30 ⑤



Roma Brick Calacatta
Mosaico Anticato**
30x30 ⑤



Roma Round Imperiale
Mosaico***
29,5x32,5 ④



Roma Imperiale
Macromosaico Anticato
30x30 ⑤



Roma Imperiale
Micromosaico Anticato*
30x30 ⑤



Roma Brick Imperiale
Mosaico Anticato**
30x30 ⑤



Roma Round Travertino
Mosaico***
29,5x32,5 ④



Roma Travertino
Macromosaico Anticato
30x30 ⑤



Roma Travertino
Micromosaico Anticato*
30x30 ⑤



Roma Brick Travertino
Mosaico Anticato**
30x30 ⑤



Roma Round Pietra
Mosaico***
29,5x32,5 ④




Roma Pietra
Macromosaico Anticato
30x30 ⑤




Roma Pietra
Micromosaico Anticato*
30x30 ⑤



Roma Brick Pietra
Mosaico Anticato**
30x30 ⑤



Roma Round Grafite
Mosaico***
29,5x32,5 ④




Roma Grafite
Macromosaico Anticato
30x30 ⑤



Roma Grafite
Micromosaico Anticato*
30x30 ⑤



Roma Brick Grafite
Mosaico Anticato**
30x30 ⑤



5 x 5 cm

1,2 x 1,2 cm

1,3 x 2,3 cm

Ø 2,2 cm

	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
①	1 Box	ML 6,40	8	8,24	-
②	1 Box	ML 4,80	8	6,70	-
③	1 Box	-	8	-	-
④	1 Box	-	2	-	-

TRIMS

ROMA	STATUARIO	GRAFITE	CALACATTA	PIETRA	IMPERIALE	TRAVERTINO
 Battiscopa 7,2x80 RT 3"x31 ^{1/2} "	 Matt ①	 Matt ①	 Matt ①	 Matt ①	 Matt ①	 Matt ①
 Battiscopa 7,2x60 RT 3"x23 ^{5/8} "	 Matt ②	 Matt ②	 Matt ②	 Matt ②	 Matt ②	 Matt ②
 Battiscopa Sagomato DX 7,2x30 RT 3"x11 ^{3/4} "	 Matt ③	 Matt ③	 Matt ③	 Matt ③	 Matt ③	 Matt ③
 Battiscopa Sagomato SX 7,2x30 RT 3"x11 ^{3/4} "	 Matt ③	 Matt ③	 Matt ③	 Matt ③	 Matt ③	 Matt ③
 Scalino 33x80 RT 13"x31 ^{1/2} "	 Matt ④	 Matt ④	 Matt ④	 Matt ④	 Matt ④	 Matt ④
 Scalino 33x60 RT 13"x23 ^{5/8} "	 Matt ④	 Matt ④	 Matt ④	 Matt ④	 Matt ④	 Matt ④
 Scalino Angolare 33x33 RT 13"x13"	 Matt ④	 Matt ④	 Matt ④	 Matt ④	 Matt ④	 Matt ④



Roma Wall Tiles

WALL TILES

50x120
19^{5/8"}x47^{1/4"}

SPESSORE 10 mm
THICKNESS 10 mm

SPESSORE 3D 10,5 mm
3D THICKNESS 10,5 mm

RT / rettificato - rectified



Roma Statuario 50x120
RT



V3
Roma Filo Statuario 50x120
RT



Roma Calacatta 50x120
RT



V3
Roma Filo Calacatta 50x120
RT



Roma Imperiale 50x120
RT




V2
Roma Filo Imperiale 50x120
RT




Roma Pietra 50x120
RT




V2
Roma Filo Pietra 50x120
RT




Roma 25 Statuario
London 5,5x25




A.E. London
1,5x5,5




A.I. London
1,5x5,5




Roma 25 Statuario
Matita 2x25




A.E. Matita
2x2




Roma 25 Statuario
Spigolo 1x25




Roma 25 Statuario
AE Spigolo 1x1




Roma 25 Calacatta
London 5,5x25




A.E. London
1,5x5,5




A.I. London
1,5x5,5




Roma 25 Calacatta
Matita 2x25





A.E. Matita
2x2



Roma 25 Calacatta
Spigolo 1x25



Roma 25 Calacatta
AE Spigolo 1x1



	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
①	1 Box	1,800	3	31,50	30
②	1 Box	1,800	3	31,80	30
③	1 Box	-	5	-	-
④	1 Box	-	4	-	-



Wall: Roma Calacatta & Fold Calacatta - Floor: Roma Calacatta Micromosaico Anticato

N.B. FOR ON-SITE LAYING OF THE ITEMS FILO: make sure the three-dimensional patterns of the tiles match. The arrows on the back do not indicate the laying direction.

Roma Wall Tiles

WALL TILES

25x75
9^{7/8}"x29^{1/2}"

SPESSORE 8,5 mm
THICKNESS 8,5 mm

SPESSORE 3D 10,5 mm
3D THICKNESS 10,5 mm



Roma Statuario 25x75 V3 (1)

Roma 25 Statuario Spigolo 1x25 (3)

Roma 25 Statuario AE Spigolo 1x1 (4)



Roma Filo Statuario 25x75 V3 (2)



Roma Calacatta 25x75 V3 (1)

Roma 25 Calacatta Spigolo 1x25 (3)

Roma 25 Calacatta AE Spigolo 1x1 (4)



Roma Filo Calacatta 25x75 V3 (2)



Roma Imperiale 25x75 V2 (1)

Roma 25 Imperiale Spigolo 1x25 (3)

Roma 25 Imperiale AE Spigolo 1x1 (4)



Roma Filo Imperiale 25x75 V2 (2)



Roma Travertino 25x75 V2 (1)

Roma 25 Travertino Spigolo 1x25 (3)

Roma 25 Travertino AE Spigolo 1x1 (4)



Roma Filo Travertino 25x75 V2 (2)




Roma Pietra 25x75 V2 (1)

Roma 25 Pietra Spigolo 1x25 (3)

Roma 25 Pietra AE Spigolo 1x1 (4)



Roma Filo Pietra 25x75 V2 (2)




Roma 25 Statuario London 5,5x25 (3)




Roma 25 Statuario Raccordo 2x25 (3)



Roma 25 Calacatta Raccordo 2x25 (3)




Roma 25 Calacatta London 5,5x25 (3)




Roma 25 Statuario A.E. Alzata 2x17,5 (3)




Roma 25 Calacatta A.E. Alzata 2x17,5 (3)




A.E. London 1,5x5,5 (4)




Roma 25 Statuario Raccordo 2x25 (3)




Roma 25 Calacatta Raccordo 2x25 (3)




A.E. London 1,5x5,5 (4)



Roma 25 Statuario A.E. Alzata 2x17,5 (3)



Roma 25 Calacatta A.E. Alzata 2x17,5 (3)




A.I. London 1,5x5,5 (4)



Roma 25 Statuario Raccordo 2x25 (3)



Roma 25 Calacatta Raccordo 2x25 (3)




A.I. London 1,5x5,5 (4)




Roma 25 Statuario A.I. Alzata 2x17,5 (3)




Roma 25 Calacatta A.I. Alzata 2x17,5 (3)




Roma 25 Statuario Matita 2x25 (3)




Roma 25 Statuario Alzata 17,5x25 (4)




Roma 25 Calacatta Alzata 17,5x25 (4)




Roma 25 Calacatta Matita 2x25 (3)



Roma 25 Statuario A.I. Alzata 2x17,5 (3)



Roma 25 Calacatta A.I. Alzata 2x17,5 (3)




A.E. Matita 2x2 (4)



Roma 25 Statuario Raccordo 2x25 (3)



Roma 25 Calacatta Raccordo 2x25 (3)



A.E. Matita 2x2 (4)

	Unità di vendita Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
(1)	1 Box	1,500	8	22,40	42
(2)	1 Box	1,3125	7	19,95	42
(3)	1 Box	-	5	-	-
(4)	1 Box	-	4	-	-
(5)	1 Box	-	4	12,10	-
(6)	1 Box	-	5	1,65	-
(7)	1 Box	0,558	6	8,20	84
(8)	1 Box	0,558	6	8,20	60

WaliPEC
 Classification WaliPEC
 Seul le site du CSTB fait foi, pour vérifier les classements indiqués, merci de consulter le site <https://evaluation.cstb.fr/>



Roma Classic Statuario Inserto 25x75 (5)



Roma Greca Statuario Listello 8x25 (6)



Roma Classic Statuario Listello 8x25 (6)



Roma Classic Calacatta Inserto 25x75 (5)



Roma Greca Calacatta Listello 8x25 (6)



Roma Classic Calacatta Listello 8x25 (6)



Roma Classic Pietra Inserto 25x75 (5)



Roma Greca Pietra Listello 8x25 (6)



Roma Raku Listello 6x25 (6)




Roma Classic Pietra Listello 8x25 (6)

MOSAICO PASTA BIANCA Spessore 8,5 mm - Thickness 8,5 mm



Roma Statuario Mosaico 30,5x30,5* (7)




Roma Natura Statuario Mosaico 30,5x30,5** (8)




Roma Calacatta Mosaico 30,5x30,5* (7)



Roma Natura Calacatta Mosaico 30,5x30,5** (8)



Roma Imperiale Mosaico 30,5x30,5* (7)



Roma Natura Imperiale Mosaico 30,5x30,5** (8)



Roma Travertino Mosaico 30,5x30,5* (7)



Roma Natura Travertino Mosaico 30,5x30,5** (8)



Roma Pietra Mosaico 30,5x30,5* (7)







Roma Natura Pietra Mosaico 30,5x30,5** (8)



2,3 x 2,3 cm *



2,8 x 2,8 cm **



TEST

Gres Porcellanato - Standard ISO 13006 (EN 14411) Annex G Group BIa, E_v ≤ 0,5%

Porcelain. / Grès cerame. / Feinsteinzeug. / Gres porcelánico. / Керамогранит.

CARATTERISTICHE TECNICHE TECHNICAL SPECIFICATIONS CARACTERISTIQUES TECHNIQUES TECHNISCHE EIGENSCHAFTEN CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ		NORME STANDARDS NORMES NORMEN NORMAS НОРМЫ	VALORE PRESCRITTO VALUES REQUIRED VALEUR PRESCRIPTE NORMVORGABE VALOR PRESCRITO ЗАДАННОЕ ЗНАЧЕНИЕ EN 14411 - ISO 13006 BIa (UGL e GL)	FAP - VALORE MEDIO* AVERAGE RATING VALEUR MOYENNE DURCHSCHNITTSWERT VALOR MEDIO СРЕДНЕЕ ЗНАЧЕНИЕ BIa UGL		
			NON RETTIFICATO - NOT RECTIFIED	RETTIFICATO - RECTIFIED	MATT	
DIMENSIONI SIZES DIMENSIONS GRÖSSEN DIMENSIONES РАЗМЕРЫ		Lunghezza e larghezza Length and width / Dimensions des côtés / Seitenlänge / Largo y ancho / Длина и ширина	± 0,6%, max 2 mm	± 0,3%, max 1 mm	Conforme In accordance	
		Spessore Thickness / Epaisseur / Stärke / Espesor / Толщина	± 5%, max 0,5 mm	± 5%, max 0,5 mm	Conforme In accordance	
		Ortogonalità ** Wedging / Orthogonalité / Rechtwinkligkeit / Ortogonalidad / Ортогональность	± 0,5%, max 2 mm	± 0,3%, max 1,5 mm	Conforme In accordance	
		Planarità Flatness / Planéité / Oberflächenqualität / Planicidad / Плоскость	± 0,5%, max 2 mm	± 0,4%, max 1,8 mm	Conforme In accordance	
STRUTTURA STRUCTURE STRUCTURE STRUKTUR ESTRUCTURA СТРУКТУРА		Assorbimento d'acqua - valore medio % Water absorption - average value % / Absorption d'eau - valeur moyenne % / Wasseraufnahme - Durchschnittswert % / Absorción de agua - valor medio % / Водопоглощение Среднее значение %	ISO 10545-3 ASTM C373	≤ 0,5%	Conforme In accordance	
		Sforzo di rottura Breaking strength / Force de rupture / Bruchlast / Esfuerzo di ruptura / Усилие на излом	ISO 10545-4	S ≥ 1300 N	S ≥ 2000 N	Conforme In accordance
		Resistenza alla flessione Bending strength / Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Прочность при изгибе	ISO 10545-6	R ≥ 35 N/mm ²		Conforme In accordance
		Abrasion profonda Deep abrasion / Abrasion profonde / Tiefenabrieb / Abrasión profunda / Глубокое истирание	ISO 10545-7	≤ 175mm ³	≤ 140mm ³	
SBALZI TERMICI THERMAL SHOCK ECARTS DE TEMPERATURE TEMPERATURWECHSEL CHOQUES TERMICOS ТЕМПЕРАТУРНЫЕ ПЕРЕПАДЫ		Coefficiente di dilatazione termica lineare Coefficient of thermal linear expansion / Coefficient de dilatation thermique linear / Wärmeausdehnungskoeffizient / Coeficiente de dilatación termica linear / Коэффициент теплового линейного расширения	ISO 10545-8	Valore dichiarato Declared Value / Valeur déclarée / Angegebener Wert / Valor decla / Объявленная ценность	≤ 7 МК ⁻¹	
		Resistenza agli sbalzi termici Thermal shock resistance / Resistance aux variations thermiques / Temperaturwechselbeständigkeit / Resistencia a las diferencias de temperatura / Сопротивление температурным перепадам	ISO 10545-9	Resistente Resistant	Resistente Resistant	Resistente Resistant
		Resistenza al gelo Resistance to frost / Résistance au gel / Frostbeständigkeit / Resistencia al hielo / Морозостойчивость	ISO 10545-12	Resistente Resistant	Resistente Resistant	Resistente Resistant
SICUREZZA SAFETY SÉCURITÉ SICHERHEIT SEGURIDAD БЕЗОПАСНОСТЬ		Coefficiente di attrito dinamico Dynamic friction coefficient / Coefficient de frottement dynamique / Dynamischer Reibungskoeffizient / Coeficiente de fricción dinámica / Динамический коэффициент трения	DCOF BOT 3000	Slip resistant ≥ 0,42	Conforme In accordance	
		Coefficiente di attrito dinamico Dynamic friction coefficient / Coefficient de frottement dynamique / Dynamischer Reibungskoeffizient / Coeficiente de fricción dinámica / Динамический коэффициент трения	DIN 51130	In funzione dell'ambiente o della zona di lavoro. According to the space or the working area / Selon le lieu concerné ou la zone de travail / Je nach Raum oder Arbeitszone / Según el ambiente o de la zona de trabajo / В зависимости от среды или рабочей зоны	R9	
		Classificazione antiscivolo Non-slip classification / Classification antiderapant / Bewertungsgruppe trittsicherheit / Clasificación antideslizante / Классификация противоскольжения	DIN 51097	In funzione delle zone bagnate soggette a calpestio a piedi nudi. According to the wet area to be stepped on barefoot / Selon le type de surface mouillée parcourue pieds nus. / Je nach Nassbereich die barfuß zu betreten sind / Según de la zona mojada que se pisa con los pies desnudos / С учётом увлажняемых зон, предназначенных для ходьбы босиком		
RESISTENZA CHIMICA CHEMICAL RESISTANCE RÉSISTANCE AUX ATTAQUES CHIMIQUES CHEMIKALIENFESTIGKEIT RESISTENCIA A LOS PRODUCTOS QUÍMICOS ХИМИЧЕСКАЯ СТОЙКОСТЬ		Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina Resistance to household chemicals and swimming pool salts / Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscines / Beständigkeit gegen Haushaltchemikalien und Badewasserzusätze / Resistencia a los productos químicos de uso domestico o productos para la piscina / Сопротивляемость химическим средствам домашнего применения и добавкам для бассейна.	ISO 10545-13	MINIMUM B	Conforme In accordance	
		Resistenza a basse concentrazioni di acidi ed alcali Resistance to low concentrations of acids and alkalis / Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen / Resistencia a concentración baja de ácidos y álcali / Сопротивляемость кислотам и щелочам низкой концентрации			LB Min.	
		Resistenza alle macchie Stain resistance / Résistance aux taches / Baständigkeit gegen Fleckenbildung / Resistencia a las manchas / Стойкость к загрязнению	ISO 10545-14	UGL: Metodo di prova disponibile / Test method available / Méthode d'essai disponible / Verfügbare Prüfmethode / Método de prueba disponible / Доступный метод испытания GL: Minimum 3		5

Average rating of tests conducted during the last 24 months. For oblong tiles with L ≥ 60 cm and ratio length/width L/W ≥ 3, measurement of rectangularity only on short edges

TEST

Wall Tiles - Standard ISO 13006 (EN 14411) Annex L Group BIII, E_v > 10%

Pasta Bianca. / White body. / Weißscherbiger. / Pâte blanche. / Pasta blanca. / Белый глины.

CARATTERISTICHE TECNICHE TECHNICAL SPECIFICATIONS CARACTERISTIQUES TECHNIQUES TECHNISCHE EIGENSCHAFTEN CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ		NORME STANDARDS NORMES NORMEN NORMAS НОРМЫ	VALORE PRESCRITTO VALUES REQUIRED VALEUR PRESCRIPTE NORMVORGABE VALOR PRESCRITO ЗАДАННОЕ ЗНАЧЕНИЕ EN 14411 - ISO 13006 BIII (GL)	VALORE MEDIO FAP* AVERAGE FAP RATING VALEUR MOYENNE FAP DURCHSCHNITTSWERT FAP VALOR MEDIO FAP СРЕДНЕЕ ЗНАЧЕНИЕ FAP BIII (GL)		
			NON RETTIFICATO - NOT RECTIFIED	RETTIFICATO - RECTIFIED	TUTTI I FORMATI - ALL SIZES	
DIMENSIONI SIZES DIMENSIONS GRÖSSEN DIMENSIONES РАЗМЕРЫ		Lunghezza e larghezza Length and width / Dimensions des côtés / Seitenlänge / Largo y ancho / Длина и ширина	± 0,6%, max 2 mm	± 0,3%, max 1 mm	Conforme In accordance	
		Spessore Thickness / Epaisseur / Stärke / Espesor / Толщина	± 10%, max 0,5 mm	± 10%, max 0,5 mm	Conforme In accordance	
		Ortogonalità ** Wedging / Orthogonalité / Rechtwinkligkeit / Ortogonalidad / Ортогональность	± 0,5%, max 2 mm	± 0,3%, max 1,5 mm	Conforme In accordance	
		Rettilinearità degli spigoli Straightness of the edges / Equerrage des angles / Kantengeradheit / Rectilinearidad de las aristas / Прямолинейность углов	ISO 10545-2	± 0,5%, max 1,5 mm	± 0,3%, max 0,8 mm	Conforme In accordance
STRUTTURA STRUCTURE STRUCTURE STRUKTUR ESTRUCTURA СТРУКТУРА		Planarità Flatness / Planéité / Oberflächenqualität / Planicidad / Плоскость	± 0,5%, max 2 mm	± 0,4%, max 1,8 mm	Conforme In accordance	
		Aspetto della superficie % senza difetti nel lotto di prova Quality of the surface Faultless % within the sample lot / Qualité de la surface % sans défauts dans le lot d'essai / Oberflächenqualität % an fehlerfreien Fliesen im Prüfbett / Aspecto de la superficie % sin defectos en el lote de prueba / Вид поверхности % без брака в пробной партии		≥ 95%		Conforme In accordance
		Assorbimento d'acqua - valore medio % Water absorption - average value % / Absorption d'eau - valeur moyenne % / Wasseraufnahme - Durchschnittswert % / Absorción de agua - valor medio % / Водопоглощение Среднее значение %	ISO 10545-3	> 10%		Conforme In accordance
		Sforzo di rottura Breaking strength / Force de rupture / Bruchlast / Esfuerzo di ruptura / Усилие на излом	ISO 10545-4	S ≥ 600 N		Conforme In accordance
SBALZI TERMICI THERMAL SHOCK ECARTS DE TEMPERATURE TEMPERATURWECHSEL CHOQUES TERMICOS ТЕМПЕРАТУРНЫЕ ПЕРЕПАДЫ		Resistenza alla flessione Bending strength / Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Прочность при изгибе		R ≥ 12 N / mm ²	Conforme In accordance	
		Resistenza agli sbalzi termici Thermal shock resistance / Resistance aux variations thermiques / Temperaturwechselbeständigkeit / Resistencia a las diferencias de temperatura / Сопротивление температурным перепадам	ISO 10545-9	Conforme In accordance		Conforme In accordance
		Resistenza al cavillo Crazing resistance / Résistance aux craquelures / Haarriß-Beständigkeit / Resistencia al cuarteado / Сопротивляемость образованию кракелюров	ISO 10545-11	Conforme In accordance		Conforme In accordance
SUPERFICIE SURFACE SURFACE OBERFLÄCHE SUPERFICIE ПОВЕРХНОСТЬ		Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina Resistance to household chemicals and swimming pool salts / Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscines / Beständigkeit gegen Haushaltchemikalien und Badewasserzusätze / Resistencia a los productos químicos de uso domestico o productos para la piscina / Сопротивляемость химическим средствам домашнего применения и добавкам для бассейна.		B Min.	Conforme In accordance	
		Resistenza a basse concentrazioni di acidi ed alcali Resistance to low concentrations of acids and alkalis / Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen / Resistencia a concentración baja de ácidos y álcali / Сопротивляемость кислотам и щелочам низкой концентрации	ISO 10545-13			Metodo di prova disponibile Test method available / Méthode d'essai disponible / Verfügbare Prüfmethode / Método de prueba disponible / Доступный метод испытания
		Resistenza alle macchie Stain resistance / Résistance aux taches / Baständigkeit gegen Fleckenbildung / Resistencia a las manchas / Стойкость к загрязнению	ISO 10545-14	MINIMUM CLASS 3		5



OUR SHOWROOMS

NEW JERSEY

Dover
Princeton
Wall
West Berlin
Wyckoff

PENNSYLVANIA

Bethlehem
Lancaster
Philadelphia
Warminster

SOUTH CAROLINA

Charleston
Columbia

GEORGIA

Savannah

GARDEN STATE TILE

Together We Can Design For Life

GSTILE.COM    @GARDENSTATETILE1957