

GARDEN STATE TILE

Together We Can Design For Life

MANHATTAN



MANHATTAN

The Manhattan collection reflects the spirit and grit of metropolitan sophistication and delivers a look that is unmistakably urban. Manhattan achieves the desirable concrete look with streamlined installation and the strength of porcelain tile by recreating the character of city cement with layered striations, aggregate detailing, and dynamic color variation.

Each tile color in the Manhattan series takes inspiration and its name from iconic cityscapes. From sidewalk to skyscraper, Manhattan has you covered.



AV325 ► Brown 12 x 24

MANHATTAN COLOR PALETTE

COLORS



AV321 ▶ White



AV322 ▶ Beige




AV323 ▶ Grey



AV324 ▶ Dark Grey



AV325 ▶ Brown



AV326 ▶ Charcoal

MANHATTAN SPECIFICATIONS

Size (in)	Actual Size (in)	Thickness (in)	Finish
12 x 24	11 13/16 x 23 13/16	3/8	UPS
4 x 24 Bullnose	3 13/16 x 23 13/16	3/8	UPS
6 x 12 Cove Base	5 7/8 x 11 3/4	3/8	UPS



4 x 24 Single Bullnose

6 x 12 Cove Base

Technical Data	Performance
Water Absorption	< 0.20%
Breaking Strength	> 450 lbf
Bond Strength	> 200 psi
Frost	Resistant
Chemical Resistance	Unaffected
Scratch Hardness	7 mohs
Wet DCOF Range	0.50-0.60
Shade Variation	V2

MANHATTAN USE & CARE

Recommended Use

Manhattan is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Manhattan is not recommended for exterior horizontal surfaces or exterior paving. If offset pattern is required for tiles 18 inches or longer, recommend an offset of not greater than 33%.

Care and Maintenance

Regular cleaning is the best way to keep Manhattan tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed.

Environmentally Conscious

Manhattan contains a minimum of 4 percent pre-consumer recycled content and is manufactured using processes that have been certified by Scientific Certification Systems. SCS has verified that through these recycling processes, nearly 12 million pounds of previously discarded filtrate and fired tile waste are recycled. In addition to its own fired waste recycling, we also accept and recycles reclaimed, previously installed tile.

Our Warranty

Products will meet or exceed the performance specifications outlined in ANSI A137.1-2012 and in the performance data section of the general product catalog. For complete details check our website.



Trade Organizations

AV323 ► Grey 12 x 24

Environmentally Aware





OUR SHOWROOMS

NEW JERSEY

Dover
Princeton
Wall
West Berlin
Wyckoff

PENNSYLVANIA

Bethlehem
Lancaster
Philadelphia
Warminster

SOUTH CAROLINA

Charleston
Columbia

GEORGIA

Savannah

GARDEN STATE TILE

Together We Can Design For Life

GSTILE.COM



@GARDENSTATETILE1957