

REUNITEDTM
Porcelain Stone[®]



Reunited™ — *REIMAGINED. RECONNECTED. REUNITED.*

Reunited™ expands on the design story introduced with Sociale™, bringing back the soft, inviting aesthetic that designers loved—now refined for today's interiors. With a palette of three versatile neutrals, gentle movement, and an approachable, lived-in feel, this collection delivers quiet sophistication to residential and commercial spaces alike. Its warm visual texture and calming presence make it ideal for spa-like baths, welcoming gathering areas, hospitality environments, and anywhere designers want comfort to meet contemporary style.

Reunited features Crossville's proprietary FeatherSoft™ finish, a smooth matte surface that blends soft reflectivity, refined tactility, and underfoot comfort with the enduring performance of porcelain. This signature finish reinforces the collection's comforting, connected aesthetic—bringing visual harmony and touchable appeal into perfect alignment. Additionally, one of the collection's core neutrals is also offered in an exterior-rated texture, providing a seamless option for projects that continue outdoors.

Offered in a coordinated system of field tile formats, two complementary mosaics, and full trim, Reunited mirrors the structure and versatility that made Sociale successful. The collection stands confidently on its own yet integrates seamlessly with existing design palettes, giving architects and designers a flexible solution for cohesive, modern environments.

Durable, low maintenance, and inherently timeless, Reunited delivers the beauty of soft, familiar design with all the practicality of porcelain. In every detail, it reflects its tagline: **Reimagined. Reconnected. Reunited.** A comforting return—elevated for the way we design today.

- Rectified field tiles
- Features Crossville's proprietary FeatherSoft™ finish
- One core color is also offered in an exterior-rated texture, providing a seamless option for projects that continue outdoors
- 2x4 Stacked and 1x6 Stacked Mosaics available
- Recommended grout joint: 3mm
- Made in the USA with global and domestic components





Floor: RNT01 ▶ Apuano 24 x 48 FST and RNT03 ▶ Avorio 12 x 24 EXT
Wall: RNT03 ▶ Avorio 2 x 4 Stacked Mosaic FST

COLOR PALETTE

Available Colors



RNT01 ▶ Apuano



RNT02 ▶ Oro




RNT03 ▶ Avorio




Floor: RNT02 ▶ Oro 12 x 24 FST

Wall: RNT02 ▶ Oro 12 x 24 FST and RNT03 ▶ Avorio 2 x 4 Stacked Mosaic FST

Available Mosaics



RNT01.10204FMOS
Apuano
2 x 4 Stacked Mosaic




RNT02.10204FMOS
Oro
2 x 4 Stacked Mosaic




RNT02.10204FMOS
Avorio
2 x 4 Stacked Mosaic



RNT01.10106FMOS
Apuano
1 x 6 Stacked Mosaic



RNT02.10106FMOS
Oro
1 x 6 Stacked Mosaic






RNT03.10106FMOS
Avorio
1 x 6 Stacked Mosaic



Floor: RNT01 ▶ Apuano 24 x 48 FST and RNT01 ▶ Apuano 2 x 4 Stacked Mosaic FST
Wall: RNT01 ▶ Apuano 24 x 48 FST and 1 x 6 Stacked Mosaic FST

SPECIFICATIONS

Sizes



2 x 4 Stacked Mosaic
Mounted on a 296.9 x 296.9 sheet (coverage area 0.97sf)



1 x 6 Stacked Mosaic
Mounted on a 297 x 290 sheet (coverage area 0.95sf)



4 x 24 Single Bullnose



6 x 12 Cove Base

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment. See website for more details and sizes.



Sizes & Finishes

Field Tile - Rectified

Available in all colors*

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 24	147 x 597	9.5	3.0	FST
12 x 24	297 x 597	9.5	3.0	FST/EXT*
24 x 48	597 x 1197	10.5	3.0	FST

Note: Field tile is rectified with a 3mm grout joint

*EXT available on RNT03 Avorio only

Mosaics

Available in all colors

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 4 Stacked Mosaic*	296.9 x 296.9	9.5	2.5	FST
1 x 6 Stacked Mosaic†	297 x 290	9.5	3.0	FST

* Mounted on 12 x 12 sheet (coverage area 0.97sf) † Mounted on 12 x 11 sheet (coverage area 0.95sf)

Coordinating Trim

Available in all colors

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	97 x 597	9.5	3.0	FST
6 x 12 Cove Base	150 x 297	9.5	3.0	UPS

Product Performance

Water Absorption	<0.5%	ASTM (C373)
Breaking Strength	≥ 450 lbf	ASTM (C648)
Bond Strength	> 200 psi	ASTM (C482)
Facial Dimension	± 0.10%	ASTM (C499)
Range of Thickness (in)	0.025	ASTM (C499)
Warpage - Diagonal	± 0.20%	ASTM (C485)
Wedging	± 0.25%	ASTM (C502)
Frost (Freeze/Thaw) Resistance		ASTM (C1026)
Chemical Resistance	Unaffected	ASTM (C650)
Stain Resistance	Resistant	ASTM (C1378)
Scratch Hardness	7	(Mohs)
Deep Abrasion		ASTM (C1243)
Crazing Resistance	No Crazing	ASTM (C424)
Thermal Shock Resistance	No Failures	ASTM (C484)
Visible Abrasion Resistance	na	ASTM (C1027)

Wet Dynamic Coefficient of Friction Range

FST	0.50 - 0.60	ANSI (A326.3)
EXT	0.60 - 0.70	ANSI (A326.3)

Shade & Texture Index

Reunited has a shade variation of V2 and V3 (RNT01 and RNT02 = V3; RNT03 = V2).

V1	V2	V3	V4	V1 Uniform Appearance
				V2 Slight Variation
				V3 Moderate Variation
				V4 Substantial Variation

This porcelain tile product is produced with a V2 and V3 variation (RNT01 and RNT02 = V3; RNT03 = V2). While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or textures to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

Recommended Use

Reunited™ FST is recommended for interior floors dry, interior walls, exterior walls, pool waterlines and full linings† in both residential and commercial applications. Reunited FST is not recommended for exterior horizontal surfaces or exterior paving. Reunited EXT is recommended for interior or exterior floors and walls in both residential and commercial applications. See Crossville.com for detailed installation instructions.

† Excludes mesh mounted mosaics.

Wet area use for Reunited Mosaics

Crossville produces the Reunited mosaics with an unpolished finish. The AcuTest wet Dynamic COF of Reunited is $\geq .50$. Their small size ensures frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Reunited to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment.

See website for more details and sizes.



Care and Maintenance

Regular cleaning is the best way to keep Reunited tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at Crossville.com.

Our Warranty

Crossville guarantees that it's products will meet or exceed the performance specifications outlined in ANSI A137.1 and in the performance data section of the Crossville general product catalog. For complete details check our website at Crossville.com

Information listed here is subject to change. Please refer to Crossville.com for the latest, most accurate information.

Crossville® Sample Express

Visit the website to learn more:
[Crossville.com/collections/Reunited](https://www.crossville.com/collections/Reunited)

Loose Tile Samples
Sizes may vary depending on product series
Max. of 4 large field tile per order

Standard Shipping
FedEx Ground

Crossville.com

You'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at Crossville.com.



Floor: RNT03 ▶ Avorio 12 x 24 EXT
Wall: RNT03 ▶ Avorio 1 x 6 Stacked Mosaic FST

Trade Organizations



Environmentally Aware



REUNITED™

Crossville®
349 Sweeney Drive
Crossville, TN 38555

Phone 931.484.2110
Fax 931.456.2956
E-Mail Crossc@CrossvilleInc.com
Web Crossville.com



Above:
Floor: RNT01 ▶ Apuano 12 x 24 FST and
RNT03 ▶ Avorio 12 x 24 FST

On the cover:
Wall: RNT02 ▶ Oro 12 x 24 FST
Floor: RNT01 ▶ Apuano 12 x 24 FST

LIT-RNT-26

